

Accessories catalog

# Index

ARTICLE	PAGE	ARTICLE	PAGE	ARTICLE	PAGE
Absorbing Roller	94	Line Brush	75	Tennis Balls	80,86
Advertising Benches	88	Line Tapes	60-61	Tennis Court Bench	88-91
Advertising Wind Screens	96-97			Tennis Court Broom	74,75
Air Pump	34-34	Marking Chalk	18	Tennis Court Roller	59,72
Anti-tilt Protection	12	Marking Paint	17	Tennis Fascia Board	96-97
Back Board	48,53	Marking Paint for Grassfields	17	Tennis Net System	68
Badminton	54-55	Marking Plates	36-37	Tennis Nets	62-63
Ball Bag	33	Marking Tapes	60-61	Tennis Posts	66-68
Ball Cabinet	33	Marking Trolley	16-18	Tennis Practice Wall	81-82
Ball Machines	77	Marking Vests	42	Tennisball Cage	78-79
Ball Net	33	Match Pointer	69	Tennisball Collector	77-79
Ball Pump	34-35	Measuring Tapes	19	Tool Holder	76
Ball Snow Fence	25	Medicine Balls	40	Training Aid	36-39
Ball Trolley	33,77,78	Megaphone	92	Training Hurdles	36
Barrier System	26	Motor Roller	59	Tribune Seats	28-29
Barriers	27	Multi Sport Radar	82	Tribunes	30
Base Frame	8				
Basketball Baskets	52	Net Hooks	12	Umpire Chairs	55,56,70,71
Basketball System	48-53			·	
Beachvolleyball	59	Player Cabin	21-23	Volleyball	56-58
Benches	88-91	Players'Tunnel	31	,	
Brush-Starmaster	32	Plifix	19	Waste Bin	92
Bucket Seats	28-29			Water Hoses	95
243.01.004.0		Radar	82	Water Roller	94
Captain Bandage	42	Referee	44	Wet Maarking Trolley	16
Coordination Ladder	39	Referee's Flag	44	Wind Screen	96-97
Corner Flags	20	Rigid Goal	13	villa del dell	00 07
Corner Poles	20	Rollers	59,72	Youth Soccer Goal	10-11
Court Dimensions	100-102	11011010	00,72	Youth Soccer Goal	10-11
Court Fencing	26	SAFETY Goal	9-11	Youth Soccer Goal Net	15
Court renoing	20	Salom Poles	38	Touth Goden Goul Net	10
Drag Nets	73	Scoreboard	69		
Drinking Bottles	41	Seat Shells	8-29		
Drinking Fountain	99	Shin Guards	42		
Drying Sponge	94	Shoe Cleaner	93		
Drying openge	0.	Showcase	98		
Exercise Goal	9-13	Sight Protection	96-97		
Exercise Mats	40	Single Net Rodsn	65		
Excitoise Mats	40	Skipping Rope	39		
Fences	25	Small Court Goals	10		
Football Bag	43	Small Court Tennis	83-87		
Free Kick Wall	38	Soccer Arena	7		
Freestanding Goals	9-13	Soccer Goal	8-9		
Freestanding Soccer Goal	9	Soccer Goal Net	14-15		
Treestanding Societ Godi	0	Speedometer	14 13		
Garden Bench	89-91	Sport Field Care	32		
Goal Net	14-15	Sports Bag	43		
Goal Wall	24	Spray Nozzels	95		
Goals	8-13	Sprinkler	95		
duais	0-13	Sprinkler Systems	95		
Hand Brush	75	Stopwatch	45		
Hand Rollers	75 72	Straps	40		
Handball Goal	46	Streetball System	48-49		
Handball Goal Net	46 15,47	Streetsoccer	40-43		
Hallabali Godi Net	10,47	Streetsoccer Substitude Boards	7 45		
Information Board	98	Substitute Dualus	43		
imormanon Dodiu	90	Tactic Boards	45		
Kid's tennis	83-87	Tactic Boards Tchoukball	45 40		
Ma 2 fellill2	03-07	Team Captain Bandages			
		Tennis Ball Machines	42 77		
		TEITHIS DAN MACHINES	11		

# Index

Soccer - Sportarena, Goals, Nets	7 – 15
Soccer - Field Markings	16 – 20
Soccer - Players' Dugouts	21 – 23
Soccer - Fences, Seats, Galleries	24 – 31
Soccer - Treatment Devices, Accessories	32 – 35
Soccer- Training, Players Equipment	36 – 45
Handball - Goals, Nets	46 – 47
Basketball - Systems, Backboards, Baskets	48 – 53
Badminton - Systems, Nets	54 – 55
Volleyball - Systems, Nets	56 – 58
Tennis - Court Accessories	59 – 76
Tennis - Training	77 – 82
Tennis - Kid's Tennis	83 – 87
Sport - Benches	87 – 91
Sport - Accessories	92 – 99
Sport - Court Dimensions	100 – 102
Coursepar	our Royal

# **Sportarena**



### **Court Royal Arena stationary**

This system fulfills the demands of a modern sports facility, which is geared towards a long-term use. In 5 m intervals the support posts, made of aluminium profiles, are set in concrete. Between the posts steel-hulled composite elements are mounted in a vibration-free way. The elements are extremely robust, weather-resistant, impact resistant and concurrently low-noise.





### **Court Royal Arena mobil**

This sports facility aims at a long-term use. It is based on a free-standing construction, which is easy to assemble and disassemble. This extremely stable construction is perfect for undergrounds like schoolyards, grassfields or tartan surface., which should not be damaged by installation. The complete pitch bordering construction is equivalent to the design of Court

The complete pitch bordering construction is equivalent to the design of Court Royal stationary and therefore is also extremely robust, weather-resistant, impact resistant and concurrently low-noise.



### **Court Royal Arena stationary**

Technical details

- support posts, set in concrete in intervals of 5 m, to which composite elements are mounted in sandwich construction ( element dimension:  $5 \times 1 \text{ m x 4 cm}$  )
- stable fully-welded soccer goals made of aluminium oval profiles with big net hoop construction and access door. ( goal dimensions:  $5\times2$  m und  $3\times2$  m )
- optionally with frontal and lengthwise net construction. Overall height 3m.
- expandable as volleyball and basketball playing field.
- the complete construction is safety tested.

### **Court Royal Arena stationary**

No. 208010 20 x 13 m - 2 goals 3 x 2 m

Court Royal Arena stationary with safety net at front and long side No. 208011  $20 \times 13 \text{ m} - 2 \text{ goals } 3 \times 2 \text{ m}$ 

### **Court Royal Arena stationary**

No. 208012 30 x 15 m - 2 goals 3 x 2 m

Court Royal Arena stationary with safety net at front and long side No. 208013  $30 \times 15 \text{ m} - 2 \text{ goals } 3 \times 2 \text{ m}$ 

### **Court Royal Arena stationary**

No. 208015 40 x 20 m - 2 goals 5 x 2 m

Court Royal Arena stationary with safety net at front and long side No. 208016  $40 \times 20 \text{ m} - 2 \text{ goals } 5 \times 2 \text{ m}$ 

### **Court Royal Arena mobile**

Technical details

- free-standing support posts with stable lateral extensions of 50 cm are screwed together in intervals of 5 m to which composite elements are mounted in sandwich construction. ( element dimension:  $5 \times 1 \text{ m} \times 4 \text{ cm}$  )
- stable fully-welded soccer goals made of aluminium oval profiles with big net hoop construction and access door. ( goal dimensions:  $5 \times 2$  m und  $3 \times 2$  m )
- optionally with frontal and lengthwise net construction. Overall height 3 m.
- the complete construction is safety tested.

### **Court Royal Arena mobile**

No. 208007 20 x 13 m - 2 goals 3 x 2 m

Court Royal Arena mobile with safety net at front and long side No. 208017  $20 \times 13 \text{ m} - 2 \text{ goals } 3 \times 2 \text{ m}$ 

### Court Royal Arena mobile

**No. 208008** 30 x 15 m - 2 goals 3 x 2 m

Court Royal Arena mobile with safety net at front and long side No. 208018  $30 \times 15 \text{ m} - 2 \text{ goals } 3 \times 2 \text{ m}$ 

### **Court Royal Arena mobile**

**No. 208009** 40 x 20 m - 2 goals 5 x 2 m

Court Royal Arena mobile with safety net at front and long side No. 208019  $40 \times 20 \text{ m} - 2 \text{ goals } 5 \times 2 \text{ m}$ 





### **Soccer Goal Court Royal Aluminium with net hoops**

The newly developed Soccer Goals Court Royal, made from plain aluminium, oval profile 120 x 100 mm, are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The two goalposts are fully-welded across the corner and are connected by a 6 m long bar with super stable interior profiles. The stable net retaining brackets are screwed to the goalposts as well as to the groove in the bar. The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested ( GS-tested ). Complete with ground sleeves, insert depth 400 mm.

The Court Royal Goals don't override the delivery dimension of 6 m. Dimensions: 7,32 x 2,44 m

No. 200103 aluminium plain No. 200104 aluminium white



### Soccer Goal Court Royal with free hanging net

The newly developed Soccer Goals Court Royal, made from plain aluminium, oval profile  $120 \times 100$  mm, are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The two goalposts are fully-welded across the corner and are connected by a 6 m long bar with super stable interior profiles. The stable tension posts, made of 30 mm aluminium tube include ground sleeves and tensioning ropes.

The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested). Complete with ground sleeves, insert depth 400 mm. The Court Royal Goals don't override the delivery dimension of 6 m.

Dimensions: 7,32 x 2,44 m

No. 200203 aluminium plain No. 200204 aluminium white



### Soccer Goal Base Frame, Aluminium, Tiltable

Additional device for No. 200103-4 and 200203-4. The tiltable base frame can be used, where lawn care should be made easier. Special protection of the nets. In general it should be used for natural grass courts.

**No. 200701** net depth 1.50 m **No. 200702** net depth 2.00 m



# Soccer Goal Court Royal, free-standing, fully-welded, in four parts

The newly developed free standing Soccer Goals Court Royal are made of plain aluminium and are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The goal frames and base frames are of 120 x 100 mm oval profiles. The two side elements are fully-welded and are connected by a 6 m long bar with super stable interior profiles. The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. According to regulations an ant-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested). The Court Royal Goals don't override the delivery dimension of 6 m. Dimensions: 7,32 x 2,44 m


**No. 200810** 1,5 m width **No. 20082** 2.0 m width



### Soccer Goal SAFETY, free-standing, fully-welded

The SAFETY soccer goal is the perfect goal for soccer fields and artificial pitches. The free-standing goal is fully-welded in one piece. The goal frame is made of a 120 x 100 mm oval profile, the base frame is made of a 75 x 50 mm square profile with a weight tubing made of special profile, which has to be filled with silica sand on site. The welded on transportation wheels allow a simple and easy move of the goals. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested).

Dimensions: 7,32 x 2,44 m **No. 200832** 2,0 m width





### Soccer Goal free-standing, fully welded

The long-standing, freestanding soccer goals, made of plain aluminium, are fully-welded in one piece and are delivered with goal and base frame of 120 x 100 mm oval profiles. The torsion-free special profile is fitted with a groove in which the provided net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. In compliance with the regulations an anti-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced accordiing to DIN EN 748 and are safety tested (GS-tested). Dimensions: 7,32 x 2,44 m

**No. 200831** 1,5 m width **No. 20083** 2,0 m width





### Youth Soccer Goal Court Royal 3 x 2 m, completely welded, in 4 parts

The newly developed Youth Soccer Goals Court Royal are delivered in four parts. Their stability comply with the fully welded aluminium-goals. The fully welded side frames are joined by 102 mm long round profile bars which are fitted with very sturdy interior profiles to join the parts together. Goalposts and bars are white-powder-coated. The warp-resistant profile is fitted with a particularly deep groove, in which the plastic net-holders are inserted. According to regulations a tilt-resistant ground anchoring for grassy fields is included. Alternatively anti-tilt weights for synthetic fields are available. The goal meets the FIFA and DFB standards and is produced according to DIN EN 748.


Dimensions: 3 x 2 m, Depth at base: 1,25 m

No. 202022



### **Handball Goal Court Royal**

According to safety standard DIN-EN 749, goal frame  $3 \times 2$  m welded, standard goal depth 1.25 m (optional 1.45 m). Made of especially thick-walled  $80 \times 80$  mm aluminium profile with rounded edges, base pipe for screwing in, very sturdy rear construction base frame made of 75 x 50 mm square aluminium profile with guide groove, net hoop made of  $50 \times 3$  mm round pipe for free net suspension (the net is not pulled over the hoops).











### Youth Soccer Goal Court Royal, fully welded, in four parts

The newly developed free-standing Youth Soccer Goals Court Royal are made of plain aluminium and are delivered in four parts and comply with its stability with the fully-welded aluminium goals. The goal frames and base frames are of 120 x 100 mm oval profiles. The two side elements are fully-welded and are connected with the cross bar by super stable interior profiles. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. According to regulations an ant-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested ( GS-tested ).

Dimensions: 5 x 2m


No. 202021 1,5 m width



### Youth Soccer Goal SAFETY, free-standing, fully-welded

The SAFETY soccer goal is the perfect goal for soccer fields and artificial pitches. The free-standing goal is fully-welded in one piece. The goal frame is made of a 120 x 100 mm oval profile, the base frame is made of a 75 x 50 mm square profile with a weight tubing made of special profile, which has to be filled with silica sand on site. The welded on transportation wheels allow a simple and easy move of the goals. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested). Dimensions:  $5 \times 2 \text{ m}$ 

**No. 20203** 1,5 m width






### Youth Soccer Goal, aluminium fully-welded, in one part

The long-standing, freestanding soccer goals, made of plain aluminium, are fully-welded in one piece and are delivered with goal frame of 120 x 100 mm oval profiles and base frame of 75 x 50 mm square profiles. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. In compliance with the regulations an anti-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested (GS-tested) Dimensions:  $5 \times 2 \text{ m}$ 

No. 202041 1,5 m width



### Net Holder I

For double-groove goals. Made of plastic, UV- and weather resistant. For quick net change.

No. 20015



### **Double Net Holder IV**

For double-groove and single-groove goals. Made of plastic, UV- and weather resistant. With few net changes, theft protected.

No. 20016





### Net Holder II

For double-groove and single-groove goals. Made of plastic, UV- and weather resistant. For quick net change.

No. 20018



### **Integral Net Fastener**

Safe net suspension, no furling or inserting, even distance of the mount points. Particularly stable and regular fit of the net, no sliding out of the net. Particularly attractive design.

 $\textbf{No. 200108} \quad 5\% \text{ extra charge on the goal price}$ 


### **Mobile Anti-tilt Locking**

Suitable for the use of goals anywhere on artificial pitches. The weight is clamped across the goal's base frame. Welded transport wheel and big handle making it mobile. To be filled with sand. Empty weight 15 kg, filled 50 kg. 2 pieces per goal starting with a radius of 1.50 m. Meets DIN EN 748, safety-tested according to FIFA regulations.

Please indicate type of goal.

No. 200806





### **Net Holder III**

For double-groove and single-groove goals. Made of plastic, UV- and weather resistant. With few net changes, theft proof.

No. 20019



### Anti-tilt locking

To secure free-standing goals on synthetic fields. 1 set = 2 weights for one soccer goal. The bins are to be filled with grit or quarry sand (not included). Weight (filled) approx. 160 kg.

Please indicate bar size.





### **Recreation Ground Aluminium Goal**

Fully-welded goal posts for small fields, natural aluminum, 80 x 80 mm, including aluminium ball trap. A structure that has particularly proven itself on playgrounds and football areas. Includes floor anchor for grassy areas, other anchoring available.

### No. 20207



### Rigid Goal with Basketball Add-On

Fully welded 3 x 2 m free-standing aluminium goal made of sturdy 80 x 80 mm profile, ideal for playgrounds and schools. Rear ball trap construction made of 40 mm  $\emptyset$  tubes. Four drill holes each to fix the ground anchors. Includes basketball kit with aluminium 120 x 90 cm backboard, anodized goal Big Duty and chain net. Includes anchoring for turf fields, other anchoring available.

No. 202075 Aluminium backboard No. 202076 Steel grid board



### **Rigid Goal Super, Aluminium**

Fully welded aluminum oval profile, 3 x 2 m, including aluminium ball trap. Rear ball trap constructed from 4mm  $\emptyset$  tubes with square cross bars for additional strength. Includes anchoring for turf fields, other anchoring available.

No. 202071



### **MINI Aluminium Training Goal**

 $120 \times 80$  cm, 80 cm deep. Hinged net brackets, with floor tube. Complete with net made from high-strength 3 mm polypropylene. 10 cm mesh width.

No. 202081 adjustable No. 2020811 fully-welded

**No. 202082** goal net, mesh width 10 cm **No. 202083** goal net, mesh width 4.5 cm



### **MAXI Aluminium Training Goal**

 $180 \times 120$  cm, 80 cm deep. Hinged net brackets, with floor tube. Complete with net made from high-strength 3 mm polypropylene. 10 cm mesh width.

No. 202091 adjustable No. 2020911 fully-welded

**No. 202092** goal net, mesh width 10 cm




Dimensions: 7.50 m wide, 2.50 m high 80 cm at top, 150 cm at base

### **Soccer Goal Net**

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

No. 20130	green		3 mm
No. 201301	white	0	3 mm
No. 20140	green		4 mm
No. 20141	white	0	4 mm



### **Soccer Goal Net striped pattern**

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

No. 201411	red/white	• •	3 mm
No. 201412	blue/white	• •	3 mm
No. 201413	green/white	• •	3 mm
No. 201414	black/white	$\bullet$ $\bigcirc$	3 mm
No. 201415	blue/yellow		3 mm
No. 201416	black/red	• •	3 mm
No. 201417	black/yellow		3 mm

Dimensions: 7.50 m wide, 2.50 m high 80 cm at top, 200 cm at base

### **Soccer Goal Net**

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

No. 20145	green		4 mm
No. 20146	white	O	4 mm
No. 20148	black	•	4 mm
No. 20149	red	•	4 mm
No. 20147	blue		4 mm



### **Soccer Goal Net striped pattern**

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm.

No. 201675	green/white	• 0	4 mm
No. 201674	bue/white	• •	4 mm
No. 201673	blue/yellow	• •	4 mm
No. 201672	black/white	$\bullet$ $\bigcirc$	4 mm
No. 201671	black/yellow		4 mm
No. 201670	black/red		4 mm
No. 20167	red/white	lacktriangle	4 mm



### Soccer Goal Net chequered pattern

Made of high-strength polypropylene, acc. to DIN EN748. Mesh size 12 cm, reinforced.



Dimensions: 7.50 m wide, 2.50 m high 200 cm at top, 200 cm at base

### **Soccer Goal Net**

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 12 cm

No. 20160	white	0	4 mm
No. 20161	green		4 mm

### **Soccer Goal Net**

Net made of high-strength polypropylene, according to DIN EN748. Mesh size 6 cm

No. 20165	white	0	4 mm
No. 20166	green		4 mm



### **Soccer Goal Net striped pattern**

Made of high-strength polypropylene, acc. to DIN EN748. Mesh size 12 cm, reinforced.

No. 201625	green/white		4 mm
No. 201624	blue/white	• 🔾	4 mm
No. 201623	blue/yellow		4 mm
No. 201622	black/white	$\bullet$ $\bigcirc$	4 mm
No. 201621	black/yellow		4 mm
No. 201620	black/red		4 mm
No. 20162	red/white	• •	4 mm



### **Soccer Goal Net chequered pattern**

Made of high-strength polypropylene, acc. to DIN EN748. Mesh size 12 cm, reinforced.

No. 201682	green/white		3,5 mm
No. 201681	blue/white	• 🔾	3,5 mm
No. 201683	black/yellow		3,5 mm
No. 201684	black/red	• •	3,5 mm
No. 20168	red/white	• •	3,5 mm





Dimensions: 5.15 m wide, 2.05 m high 100 cm at top, 100 cm at base

### **Youth Soccer Goal Arminia**

Net made of high-strength polypropylene. Mesh size 12 cm.

**No. 20220** green • 3 mi

### **Youth Soccer Goal Kickers**

Net made of high-strength polypropylene. Mesh size 12 cm.

 No. 20223
 green
 4 mm

 No. 20234
 white
 4 mm

 No. 20237
 red
 4 mm

 No. 20236
 yellow
 4 mm

 No. 20235
 blue
 4 mm



### **Youth Soccer Goal striped pattern 100**

Knotless net made of high-strength polypropylene. Mesh size 12 cm.

 No. 202332
 green/white
 ● ○ 4 mm

 No. 202331
 blue/white
 ● ○ 4 mm

 No. 20233
 red/white
 ● ○ 4 mm



# Youth Soccer Goal chequered pattern 100

Knotless net made of high-strength polypropylene, Mesh size 12 cm.

 No. 202333
 green/white
 ● ○ 4 mm

 No. 202334
 blue/white
 ● ○ 4 mm

 No. 202335
 red/white
 ● ○ 4 mm

Dimensions: 5.15 m wide, 2.05 m high 80 cm at top, 150 cm at base

### **Youth Soccer Goal Borussia**

Net made of high-strength polypropylene. Mesh size 12 cm.

 No. 20240
 green
 4 mm

 No. 20241
 white
 4 mm

 No. 20242
 blue
 4 mm

 No. 20244
 red
 4 mm

 No. 20243
 yellow
 4 mm




### **Youth Soccer Goal striped pattern 80**

Knotless net made of high-strength polypropylene. Mesh size 12 cm.

 No. 202322
 green/white
 ● ○ 4 mm

 No. 202321
 blue/white
 ● ○ 4 mm

 No. 20232
 red/white
 ● ○ 4 mm



Knotless net made of high-strength polypropylene. Mesh size 12 cm.



Dimensions: 3.0 m wide, 2.0 m high 80 cm at top, 100 cm at base

### **Small Field and Handball Goal Net**

Sturdy net made of high-strength polypropylene. Mesh size 10 cm.


**No. 20221** green • 3 m

### **Small Field and Handball Goal Net**

Sturdy net made of high-strength polypropylene. Mesh size 10 cm.

### **Small Field and Handball Goal Net**

Perfect quality net made of high-strength polypropylene. Mesh size 10 cm.




### Small Field and Handball Goal Net striped pattern

Net made of high-strength polypropylene. Mesh size 10 cm.

 Nr. 20616
 green/white
 ● ○ 4 mm

 Nr. 20617
 blue/white
 ● ○ 4 mm

 Nr. 20618
 red/white
 ● ○ 4 mm



### Small Field and Handball Goal Net chequered pattern

Knotless net made of high-strength polypropylene. Mesh size 12 cm.





### **Wet Marking Trolley Standard**

Steel frame construction with weatherproof painted finish. Plastic container with approx. 9 liter capacity. Spraying mechanism on the back is operated with a hand lever. Line width adjustable from 50 mm to 120 mm. Three large balloon wheels. Height adjustable handles. Empty weight approx. 12 kg. Size 85 x 52 x 86 cm.





### **Wet Marking Trolley Universal**

Steel frame construction with weatherproof painted finish. Steel container with approx. 10 liter capacity. Spraying mechanism on the front is operated with a hand lever. Line width adjustable from 50 mm to 120 mm. Four large balloon wheels. Height adjustable handles. Empty weight approx. 19 kg. Size 85 x 52 x 86 cm.

### No. 20287

### **Wet Marking Trolley Akku 3000**

Wet marking Trolley with a very strong pump, which automatically switches off by closing the spraying lever. The strong battery is operated by an on / off button at the guide rod and enables a very simple marking of at least 6 playing fields. The spraying device is positioned in the front, it is flexible in height and due to the shiftable top it can be adjusted easily over the whole frame width. The line width is adjustable as well. The trolley has got 2 plastic paint containers, each with a capacity of 13I (optionally 19 I). Each paint container has an own stopcock and is easily to remove in case of cleaning or emptying. The trolley has a stable steel pipe construction with weather-resistant powder coating. All components are bright galvanized. The 4 pneumatic tyres, 260 x 85 mm are ball bearing mounted and guarantee a smooth running. The guide rod is adjustable in height.

Weight: ca. 25 kg,

Dimensions: ca. 800 x 540 x 860 mm

# **Court Royal Grass Marking Colour**

The environmentally friendly marking colour for sports fields.

Highly pigmented marking colour with perfect water-resistance and very fast drying time.

**Excellent adhesive properties on grass and hard courts.** 

Free of solvents and softening agents.

Environmentally friendly as all substances are biologically degradable.

With LGA certification





Consumption for 1 soccer field: Mixing ratio with water for:

New marking:

1:3 = 5 kg concentrate corresponds to 15 kg

**Renewal marking:** 

1:3 = 3 kg concentrate corresponds to 15 kg

In original packaging storable for at least 24 months.

Very simple cleaning with water only.

Content per canister 15 kg net weight

Court Royal white No. 202881





### **Marking Trolley Standard**

Capacity approx. 35 liters. Spread width 50 mm. Solid rubber wheels and one guide wheel. Height adjustable handles. Shut down with hand lever. Empty weight approx. 17 kg.

No. 20279



### Markierungswagen UNIVERSAL

Capacity approx. 35 liters. Spread width 50 mm. Solid rubber wheels and two guide wheels. Height adjustable handles. Shut down with hand lever. Empty weight approx. 17 kg.

No. 20280



### **Marking Stadion**

Capacity approx. 50 liters. Spread width 50 mm and 120 mm. Height adjustable handles. 2 Large balloon wheels 400 x 100 mm and 2 guide wheels 260 x 85 mm. Empty weight approx. 28 kg.

No. 20302



### **Marking Trolley Special**

Capacity approx. 50 liters. Spread width 50 mm and 120 mm. The adjustable riddle screen allows lines to be drawn in varying widths. Large balloon wheels. Empty weight approx. 30 kg.


No. 20285



### **Arcus Chalk for sports fields**

The Arcus chalk is suitable for normal markink lines on sports fields. This natural product (pure calcium carbonate) is exceptionally white and offers a high adhesion. Due to the unique and special texture, a problem-free applying of the chalk with any spreading machine is possible.

The chalk is delivered in 25 kg sacks.





### **Distance Measure Rollfix-Easy**

Sturdy construction with foldaway frame. Measure area 9999.9 m. Overall height 96 cm, wheel diameter 318.5 mm = 1 m circuit.

No. 10590






### **BMI Steel Tape Measure** Body, galvanized steel with

Body, galvanized steel with plastic covering. Steel tape 13 mm wide.

No. 10584 10 m No. 10585 20 m No. 10586 30 m

No. 10587 50 m



### **Sand**

To fill in between the bristles and for better hold.

### Screw

Drives in easily, holds better in the ground and is quick to remove.





# PLiFiX



### **PliFix Leveling Aid**

Season after season the PliFix stays in place and saves you from measuring each year. You need only mark out the measurements for soccer, rugby or field hockey pitches once. PliFix makes light work of repainting the lines. There is no need to walk from one end of the pitch to the other: just stretch a cord between two Plifix screws and then to the next one. Set contains 25 screws.



### Corner Pole 30 with ground sleeve

Made of polyethylene, 30 mm Ø, white, bendable, shatterproof, weather-proof, indestructible, colorfast, length 160 cm, complete with ground sleeve and cover, including red flag.

No. 20255 white No. 20256 neon yellow



### Corner Pole 50 with ground sleeve

Made of polyethylene, 50 mm Ø, white, bendable, shatterproof, weather-proof, indestructible, colorfast, length 160 cm, complete with ground sleeve and cover, including red flag.

No. 20260 white No. 20270 neon yellow



### Corner Pole 50 with tilt link

Made of polyethylene, 50 mm Ø, white, bendable, shatterproof, weather-proof, indestructible, colorfast, length 160 cm, including red flag.

No. 20262 white No. 20267 neon yellow



### No. 20170 red / white

No. 20171 blue / white

No. 20172 geen / white

No. 20173 black / white

No. 20175 yellow / black

No. 20176 yellow / red

No. 20174 red / black

No. 20177 yellow

No. 20178 red

No. 20179 green

### **Flags for Corner Poles**

The possible combinations





Corner Pole Set in a carrying bag Consisting of 4 corner poles Ø 50 mm, with tilt links, flags and gound sleeves. No. 20266



### Special ground sleeve for corner flags Aluminum, with coatable cover and vertical compartment to store cover when post is in place.

# **Players' Dugouts**



### **Players' Dugout Champion**

Frame construction made of very sturdy, fully welded special aluminium profiles. Roof and side walls made of transparent unbreakable massive polycarbonate plates. Bottom and rear made of weather resistant 8 mm strong Coplast plates. Bench, backrest and foot rest made of high-quality wooden slats. Dugout is supplied fully assembled. Very sturdy and stable model. Dimensions H x D x W:  $205 \times 105 \times 300 - 600$  cm.

 No. 20442
 3.0 m wide, 6 seats

 No. 20441
 4.5 m wide, 9 seats

 No. 20443
 6.0 m wide, 12 seats









# **Players' Dugouts**





Players' Dugout "Liga"
Frame construction made of warp-resistant aluminium profiles, fully welded. Side walls made of transparent polycarbonate, rear wall of matt polycarbonate. Very comfortable individual seats made of plastic. Foot rest made of aluminium. Dugout is supplied fully assembled. Very sturdy and stable model.

Dimensions H x D x W:  $200 \times 98 \times 200 - 500 \text{ cm}$ 

**No. 20440** 2,0 m wide, 4 seats No. 204411 3,0 m wide, 6 seats No. 204412 4,0 m wide, 8 seats No. 204413 5,0 m wide, 10 seats



# **Players' Dugouts**



### **Players' Dugout Exclusive**

Frame construction made of extremely stable aluminium profiles, fullywelded. Stylish design. Side and rear walls made of transparent polycarbonate. Comfortable individual seats made of plastic and plate behind the seats. Foot rest made of aluminium. Dugout is supplied fully assembled. Extremely sturdy model. Dimensions  $H \times D \times W$ :  $195 \times 126 \times 200 - 500$  cm

No. 20444 2 m wide, 4 seats (for officials)

 No. 204440
 2.5 m wide, 5 seats

 No. 204441
 3.0 m wide, 6 seats

 No. 204442
 4.0 m wide, 8 seats

 No. 204443
 5.0 m wide, 10 seats

Special lengths with Recaro seats also available upon request.



### **Transport Trolley**

Simple tripod trolley made of aluminium with swivelling polyamide wheels.





This freestanding construction can be dismounted into two parts. It is easy to transport and to store. To the stable frame construction of aluminium profiles a rear trailer is screwed on. In the frame construction are two holes each for he stationary mounting to the ground. For firm underground we recommend heavy-duty dowels and for grassy underground drop-in anchors should be used. For mobile use the rear extensions can be weighted with sandbags. The goal wall has the size of the ZDF – goal wall ( Aktuelles Sportstudio ). The weather-resistant front panel ( divided in the middle ) of 19 mm PVC rigid foam boards povides enough space for attractive sponsor advertisements.

Dimensions: (LxWxH) 270 x 188 x 127 cm

Hole dimensions: 60 cm

Transportation dimensions: (LxWxH) 135 x 188 x 15 cm

Weight: ca. 60 kg

Delivery without advertisement. **No. 202061** 







### Transport Box for Soccer Target Shooting Wall

Practical transport box for easy storage and transportation of the target shooting wall. Made of glued multilayer wood with hinges and locks as well as transport rolls and carrying-slits.

No. 0212

Labelling of the Soccer Target Shooting Wall

Complete labelling of the soccer target shooting wall with a 4-colour digital print including lamination. Please provide printable data file.











### **Posts for Protective Screen**

Very sturdy aluminium profiles, complete with ground sleeves and PU-net fastener.

No. 20900 $80 \times 80 \text{ mm}$ , 3.00 m above groundNo. 20904 $80 \times 80 \text{ mm}$ , 4.00 m above groundNo. 2090280 mm Ø, 5.00 m above groundNo. 2090380 mm Ø, 6.00 m above ground

### **Reinforcement Cross Bars for End Post**

No. 20910

### **Screen Nets**

For protective screens, made of high-strength

green polypropylene.

Mesh size 45 mm

 No. 41600
 Ø 2.3 mm

 No. 41610
 Ø 3 mm

 No. 41611
 Ø 4 mm

### Mesh size 100 mm

 No. 20905
 Ø 2.3 mm

 No. 20906
 Ø 3 mm

 No. 20907
 Ø 4 mm

### Lead cord

To weigh down the net, directly sewn to the net.

**No. 41620** 200 g **No. 41621** 400 g

### Plastic guide rings

Nylon rings, black, 3 pieces per meter, directly worked into the net.

No. 41630

### Steel wire

Made of galvanized steel wire. **No. 41640** 4 mm **No. 41641** 6 mm

### **Tensioning device**

Thimbles and turnbuckle on both sides.

No. 41650 for 4 mm steel wire No. 41651 for 6 mm steel wire



### **Barrier System, Anodized Aluminium**

Plug and fit connection. Handrail and support post made of high strength/alloy aluminium profiles  $\emptyset$  60 x 2.5 mm. Connections made of aluminium high-precision moulded parts, matt silver anodized. Delivery includes handrails, support posts, T-connectors, elbows, end pieces and the necessary rivets and drill.

Distance between the posts 2.50 m No. 20800

Distance between the posts 3.0 m No. 20810  $\,$ 



**T-connector, aluminum** With bevelled edges

No. 20821

### **Insertion tube for access**

 $2.5\,\mathrm{m}$  and  $3.0\,\mathrm{m}$  distance between the posts, including handle

No. 20802



Elbow, aluminum With bevelled edges



Link chain Made of steel, red-white No. 20801

### Movit - the universal blocking system

The practical, functional, safe, indestructible and light barrier system is made from recyclable polypropylene. It is available in the 6 standard colours: red, white, orange, yellow, green, blue. Other RAL-colours are deliverable on request. Movit ist he ideal barrier system. It is fast to put together and it is stable and robust. Due to the low weight it is very easy to transport. In the middle of the barrier part an advertising space or a company long is possible.





### Fields of application:

- Construction site safety
- Sports events
- Concerts
- Street markets and celebrations
- Major events
- Pavement barriers
- Protection of devices
- Parking space barriers

### **Characteristics:**

- Easy to transport
- Fast and safe connection of the modules
- Environmentally-friendly, recyclable
- Height-adjustable
- Robust

### Technical data:

Length: 2 m
 Height: 1 m
 Weight: 12 kg
 Allowed load: 500 kg

Temperature range: - 22°C to + 55°C
 Colours: red, white, orange,

yellow, green, blue



# **Compact Tribune Seat Compact for Self Assembly**Made of moulded, shock-resistant, UV-resistant polypropylene according to DIN 4102B1. Fast and simple assembly on nearly every underground due to triple fittings. The attachment points are protected against vandalism. All seat shells are equipped with a water drain. Available in the colours: black, white, orange, green, blue, yellow, red, grey. Please indicate the colour. For an additional charge, the seats can be numbered ( flame-retarding on request ). Weight: 0.810 kg Mounting holes from below. After the mounting the seats are sealed repectively on the upper side by a blind plug. No. 40962 RAL 9017 No. 409621 RAL 9016 No. 409622 RAL 2008 No. 409623 RAL 60017


**No. 409624** RAL 5015 **No. 409625** RAL 1018 **No. 409626** RAL 3000 **No. 409627** RAL 7001

# Elegance 2 445

# **Tribune Seats Elegance for Self Assembly** Made of moulded, shock-resistant, UV-resistant polypropylene

Made of moulded, shock-resistant, UV-resistant polypropylene according to DIN 4102B1. Fast and simple assembly on nearly every underground due to triple fittings. The attachment points are protected against vandalism. All seat shells are equipped with a water drain. Available in the colours: black, white, orange, green, blue, yellow, red, grey. Please indicate the colour. For an additional charge, the seats can be numbered (flame-retarding on request).

Weight: 1.930 kg













No. 409631 RAL 9016



No. 409632 RAL 2008



No. 409633 RAL 60017



No. 409634 RAL 5015



No. 409635 RAL 1018



No. 409636 RAL 3000



No. 409637 RAL 7001



# Tribune Court Royal With 50 seats, three-rowed

The new Tribune Court Royal is suitable for all kind of outdoor sports. It is equipped with 50 comfortable three-rowed seats as well as a middle staircase and rails. The construction is of steel profile barrels and heavyweight grates as flooring. All steel parts are galvanized and absolutely weather-resistant. The UV-resistant plastic bucket seats offer sitting comfort and can be delivered in different colours.

The tribune is delivered in four modules, each 2 m wide and with 16 seats and additionally a staircase module, 1,5 m wide and with 2 seats for on-site mounting. The tribune complies with DIN 13200.

This tribune system with its 50 seats can randomly be built in series. Morover customized designs with the 2 m modules as well as the staircase modules are arbitrarily possible. A solid ground should be provided.



way. The standardversion, however, offers the tribune with 50 seats.





### Players' Tunnel, Foldable

Basic frame made of warp-resistant aluminium profiles, covered with a fireproof, flame-retardant, waterproof PVC fabric, easily foldable. Standard color: grey-white. Also available in other colors. The element's length is 105 cm. Minimum length 420 cm.

### No. 25999

When ordering, please state length, width and color.

Element length: Dimensions:

External width/height: Weight per element: Weight of plastic foil:

Weight of plastic foil: Length of one folded segment:

Fire retardance:
Heat resistance:
Cold resistance:

Longitudinal strength: Tensile strength: 105 cm, not separable

Width 200 cm, inner height 230 cm

215/250 cm approx. 18 kg 530 g/m<sup>2</sup> approx. 7 – 9 cm Class C.L. 2 + 70° C - 30° C

approx. 200 DaN/5 cm approx. 30 DaN/5 cm



### **Brush Starmaster for Synthetic Turf with Sand Infill**

This is the ideal maintenance unit for synthetic turf with sand infill. The three-point suspension and the pulling rope are designed for use with a towing vehicle. The weight of approx. 80 kg has been chosen in such a manner that neither weighting nor hydraulic pressure are required. The brush harrow is used to prevent the growth of moss and grass on the turf surface. For careful maintenance of the surface we recommend our nylon towing mat. There is a choice of two models: The sturdy hot-dip galvanized steel frame with 3 ows of strong bristles which enable optimal maintenance. The triangular brush harrow is particularly suitable for uneven surfaces and sand holes. Ideal for filling in with sand maintenance of all synthetic turf surfaces with sand or rubber granulate infill.

Brush-Starmaster 1 250 x 80 cm, rectangular shape


No. 28000 for sand and granulate surfaces

Brush-Starmaster 2 250 x 80 cm, triangular shape

No. 28002 for sand and granulate surfaces

### Replacement Brushes 125 cm long

No. 28007 for sand and granulate surfaces









### **Ballbag Court Royal**

Ballnet for 10 balls, close meshed ballnet with tightening cord.

No. 20740

### **Ballbag Court Royal for 12 balls**

Stable ballbag of polyester with lateral ventilation nets and adjustable shoulder straps.

No. 20742

### **Ballbag Court Royal**

Ballbag for 10 balls of close meshed net with 2 big handles and zip.

No. 20741



### **Ball and Equipment Cabinet**

Robust, stable and torsion-free design made of steel mats ST 37, galvanized, blue passivated, with 3 gridded shelves at a height of 160 cm and 4 gridded shelves at a height of 180 cm. Movable base frame with 4 castors and 2 lockable wing doors.

### **Ball Trolley, galvanized**

Wire ball trolley with lockable cover. Size ca.  $800 \times 600 \times 750$  mm for ca. 60 mixed balls. Easy transport due to pulleys.



### **Ball Pump Double-Action**

Strong two-direction pump. Pumps in both directions with pressure. A practical light pump, fully plastic, complete with metal needles.

No. 20501





### **Ball Pump with hose**

Two direction pump with flexible hose of nylon (diameter of 15 m), including metal needles.

No. 20493



**Ballfilling-pistol with pressure gauge** 

For compressor MK 40 with a pressure gauge up to 10 bar and a 1.20 m long hose. No. 204961



### **Ball Pump Club**

Big plastic ball pump with wooden handle including metal needles. No. 20496



**Ball Needle set of three** No. 20503

**Ball Nipple** 





### **Electric Ball Pump US 20**

Oil-free membrane-compressor with integrated pressur gauge. Plastic case with handle. Suction capacity ca. 60l/min. Pressure ca. 5 bar. Connected value 0,2 kw, 220 V/50 Hz. Weight ca 1,6 kg, German TÜV approved. Dimensions: ca. 170 x 110 x 150 mm. With a 1.0 m spiral hose with motor vehicle valve connector. 1 ball-valve and 1 ball hollow needle. CE-tested. The filling for a football takes 25 seconds.

No. 20505



### **Electric Ball Pump MK 40**

Robust membrane-compressor with low speed, ca. 1700 U/min. Case of aluminium, pressure casting with handle. Suction capacity ca. 70 l/ min., pressure ca. 3,5 bar, connected value 0,25 kw, 230 V/50 Hz. Weight: ca. 6 kg. German TÜV-approved. Dimensions: ca. 220 x 140 x 230 mm. The device is completely maintenance-free. Delivery with a ca. 1.20 m long air hose and 2 ball valves. The filling-time for a football is ca. 25 seconds.

No. 20506



### **Electric Ball Pump MK 50**

Oil-free membrane-compressor with low speed, ca. 2800 U/min. Case of aluminium, pressure casting with handle. Suction capacity ca. 100 l/ min., pressure ca. 8 bar, connected value 0,2 kw, 230 V/50 Hz. Weight: ca. 5 kg. German TÜV-approved. Dimensions: ca. 300 x 170 x 230 mm. The device is completely maintenance-free with 2 years guarantee. Delivery with a ca. 1.20 m long air hose, valve holder and 2 ball valves. The filling-time for a football is ca. 20 seconds. Optional accessories: Ball-filling pistol, spiral hose.








Pop Up Goal Set
For tactics practices, quick and easy to put up, including bag.
Nr. 34004







### 1) Marking Cone 40

Plastic, 40 cm high, for multiple use.

No. 20392 red, No. 20393 yellow, No. 20395 green, No. 20396 blue

### 2) Marking Cone 28

Plastic, 28 cm high

No. 20373 red, No. 20374 yellow, No. 20375 green, No. 20376 blue

### 3) Marking Cone 50

Heavy elastic plastic material, neon red with white stripes. 50 cm high.

No. 20390

### 4) Marking Cone 24

Red plastic, 24 cm high.

No. 20377

### **Digit Sticker**

Black one-or two-digit numbers on white background. 10 cm high.

No. 20388

### **Training Aid**

The exercise/training aid for all types of sports is a complete training system with countless potential applications; from tennis, football, track and field, handball, basketball right through to motor sports. There are no limits to the imagination of trainers and athletes. The exercise aid can be used for school sports, basic training, right through to professional sports. Base can be filled with sand or other dry materials. Poles are made of high-grade elastic plastic. They can be inserted into the base or used as crossbars. The newly developed plastic clip can be set to any position. The poles can be positioned loosely or clipped onto other poles.

Complete set consists of:


2 bases, 3 poles 160 cm long, 2 solid plastic clips

No. 20315 1 set No. 20316 5 sets

### **Foot Plastic half bowls**

No. 20317

### Plastic Pole 160 cm long



### Free kick wall

Consisting of 5 easy-to-dismantle, high-quality plastic dummies (with steel tips). With the flexible design of the supports (similar to a ski slalom system) the dummies lean backwards when hit by the ball. Five figures in various sizes.

No. 20450



### Trolley for free kick wall

Light metal frame with wheels and folding handle.

The figures are simply inserted and can therefore be transported easily and quickly. Also ideal for use on hard pitches.

No. 20451



### **Training Bow plastic**

Flexible plastic material with steel points for training goal shooting and passing. No. 20456





### Slalom Poles

Poles are made of high-grade elastic plastic with a height of 160 cm. Available in the colors yellow and red, with a metal top of 10 cm. Ideal for careering and as marking.

No. 20320 red No. 20321 yellow

### **Slalom Pole Set**

Consists of 5 red and 5 yellow poles including a practical bag.





### **Topcombat Set 1**

Set contains:  $3 \times 6''$  hurdles •  $3 \times 9''$  hurdles • 2 coordination ladders • 1 large reaction ball • 1 small reaction ball • speed belt • pro leg toner • 2 kg medicine ball • 4 corner markers.


### No. 43005



### **Condition Training Package**

This package contains practical aids for enhancing condition and reaction-training. Consists of: 1 coordination ladder, 8 m • 2 jump ropes, 3 m, orange • 2 jump ropes, 3m, yellow • 12 marking disks • 2 medicine balls - 2 kg • 2 fun ball, hard • 2 fun balls, soft.

### No. 42050



### **Soccer Goal Post with Target Shooting Wall**

This soccer goal for home and garden use consists of a sturdy, free-standing metalframe. The powder-coated 32 mm steel profiles are weatherproof and easy to assemble using quick-release fasteners. The set contains a weather-resistant nylon goal net, and nylon shooting wall with 2 reinforced holes, and suitable transport packaging. Size: 213 x 152 x 76 cm, profile diameter 32 mm x 0.8 mm, weight 11 kg. **No. 202064** 



### **Topcombat Set 2**

Set contains: 2 x 4 m coordination ladders • 2 x 6" hurdles • 2 x 9" hurdles • 2 x 12" hurdles • parachute • 1 speed belt • 1 speed resistor • 1 reaction ball • 10 marker disks.

### No. 43007



### **Jump Rope**


Colored plastic rope with sturdy handle.

 No. 565
 red
 230 cm

 No. 567
 yellow
 240 cm

 No. 568
 green
 250 cm

 No. 569
 blue
 260 cm



### **Coordination Ladder**

Very good coordination and fitness training, due to flat strips fixed to a fabric band making injury almost impossible, suitable for many surfaces, robust quality. Dimensions: 800 cm long, 50 cm wide, 45 cm distance between strips, complete with bag.



## **Medicine Balls**

Made of rubber with non-slip surface and needle valve.

No. 22023 1000 g No. 22025 2000 g No. 22026 3000 g No. 22027 4000 g No. 22028 5000 g

## **Gymnastic Mat Bella Fit**

Folding mat, made of high expansion foam for gymnastic exercises. Dimension: 185 x 60 x 1 cm.

No. 70542




## Weight Stack with Shoulder Belts Made of steel with shoulder helts and tension ha

Made of steel with shoulder belts and tension band. Weight ca. 5 kg. Can also be fitted with weight plates. **No. 21500** 



## **Tschoukball Practice Wall**

The ideal training device fort he goalkeeper. Stable and painted steel construction with a robust net, foldable. Size:  $100 \times 100 \text{ cm}$ 









## **Bottle Cage Court Royal**

No. 28502 schwarz

Foldable bottle cage for 10 Court Royal drink bottles (0,75 ltr.).

No. 28505

## **Bottle Cage Set Court Royal**

Foldable bottle cage with 10 Court Royal drink bottles (0,75 ltr.).

No. 28506

er has its own number. Numbers 1-16



Material 100% polyester, in two colours

No. 2601 orange No. 2602 green



## **CAPTAIN** bandage

Made of flexible rubber fabric.

No. 2803 Junior No. 2804 Senior



**Marker Vest Court Royal Junior** 

Made of breathable synthetic fiber material for children up to 12 years.

No. 26012 yellow No. 26013 green No. 26014 orange

## **Marker Vest Court Royal Senior**

Made of breathable synthetic fiber material for adults.

No. 20621 yellow No. 20623 green No. 20624 orange



## **Team Captain Armband C**

Made of flexible rubber fabric.

No. 2801 Junior No. 2802 Senior





## **Shin Guards Senior**

Classic shin guard with knuckle protection. Pole construction bandage with very good impact protection, with integrated EVA-knuckle shell.

No. 2709





## **Shin Guards Junior**

KClassic shin guard with knuckle protection. Pole construction bandage with very good impact protection, with integrated EVA-knuckle shell.



## **Team Trolley Bag**

Practical sports bag for team wear with extra strong bottom compartment. Adjustable belts and strong handles. 2 easy running wheels for pulling. Material: 600-D-Polyester.

Dimension in mm: L x B x H, 800 x 300 x 340



**Referee Whistle Metal with Cord** 

Classical whistle with shrill tone.

No. 8038

**Referee Whistle with Finger Holder**Practical referee whistle of plastic with a two-finger grip.



## **Hanhart Crown Stopper**

1/10 sec. exactly, 15 min. display time, shock-resistant, dust and water-resistant. Weight: 129 g

No. 1055



## **Hanhart Stopstar**

LCD-display seven digit, digit height 7 mm, 9 h 59 min display time. Dual measurement. Weight: 70 g

No. 10568



### **Hanhart Stratos 2**

LCD-display seven digit, digit height 6,5mm, 9 h 59 min. display time. Weight: 62 g

No. 10565





## **Substitute Board simple**

Display for the substituting of players 30 x 40 cm digit height, double-sided neon-red for ,out' and neon-yellow for ,in'. The numbers are produced by foldable colour tabs.



### **Tactic Folder Soccer**

Magnet-adhering board ca.38 x 26 cm, including magnets, with a wiped dry felt-tip pen and a notepad.



## **Substitute Board double**

Display for the substituting of players 30 x 80 cm digit height, double-sided neon-red for ,out' and neon-yellow for ,in'. The numbers are produced by foldable colour tabs.

No. 31100



## **Tactic Board PVC Soccer**

PVC board ca.30 x 45 cm with a full and a half-length field with a wiped dry felt-tip pen and practical retaining clips.

No. 21097




## **Tactic Coachboard small**

Training board white ca.30 x 45 cm with magnets, wiped dry felt-tip pen and a dry cleaner as well as adjustable suspension eyes.  $\bf No.~21098$ 


## Taktik Coachboard big

Training board white ca.60 x 90 cm with magnets, wiped dry felttip pen and a dry cleaner as well as adjustable suspension eyes.



## **Goals - Nets**











 $\begin{tabular}{lllll} \textbf{Handball Goal Court Royal} \\ \textbf{According to safety standard DIN-EN 749, goal frame 3 x 2 m welded, standard goal} \\ \end{tabular}$ depth 1.25 m or 1.45 m. Made of special thick-walled 80 x 80 mm aluminium profile with rounded edges, base pipe for screwing in, very sturdy rear construction base frame made of 75 x 50 mm square aluminium profile with guide groove, net hoop made of 50 x 3 mm round pipe for free net suspension (the net is not pulled over the hoops). No. 20520

## **Foldable Net Hooks**

No. 20520 black plastic markings

## **Fully Welded Net Hooks**

No. 20500 red plastic markings No. 20540 black plastic markings



## **Goals - Nets**



## **Integral Net Fastener**

Safe net suspension, no furling or inserting, even distance of the mount points. Particularly stable and regular fit of the net, no sliding out of the net. Particularly attractive design.

No. 200108 5% extra charge on the goal price







## 1) Ground Anchor for Hall Floors

Consisting of 2 inlet panels with threads and 2 hand wheels. One set for one goal.

No. 205801

## 2) Ground Anchor for Outdoor Fields

Consisting of two aluminium sleeves with threads to be set in concrete and 2 hand wheels. One set for one goal.

No. 20580

Dimensions: 3.0 m wide, 2.0 m high

80 cm at top, 100 cm at base

Mesh size 10 cm

## **Small Field and Handball Goal Net**

Sturdy net made of high-strength polypropylene, 3 mm. Mesh size 10 cm.

No. 20221 green

## **Small Field and Handball Goal Net**

Sturdy net made of high-strength polypropylene, 4 mm. Mesh size 10 cm.

No. 20610 white No. 20611 green No. 20612 yellow

## **Small Field and Handball Goal Net**

Perfect quality net made of high-strength polypropylene, 5 mm. Mesh size 10 cm.

No. 20613 white No. 20614 green No. 20615 blue



**Streetball Set Street** 

Weather-resistant plastic backboard 112 x 73 cm. Complete with basket and net. No. 310208



### **Wall Mount**

Wall fastening with approx. 30 cm or 60 cm extension. **No. 300682** DIN drill holes  $7.5 \times 6.5$  mm, 30 cm extension **No. 300683** DIN drill holes  $11 \times 9$  mm, 60 cm extension



## **Bronx Streetball Set**

Weather-resistant, recyclable plastic backboard 112 x 73 cm, basket and net and wall mounting facility on back with projection of 22 cm. Extension 30 cm.

No. 31010




## **Harlem Streetball Set**

Weather-resistant plastic backboard 120 x 90 cm, goal with DIN drill holes and net. Wall attachment with 30 cm extension.

No. 310103



**Basketball goal Hobby red**Solid design, red powder-coated. 45 cm ring.
Complete with net. Drill holes 7.5 x 6.5 cm. **No. 300203** 



## **Basketball set Hobby**

Hobby basketball goal red powder-coated 45 cm with net and trademark basketball size 7. Drill holes 7.5 x 6.5



### **Streetball Unit New York**

Powder-coated steel post Ø approx. 95 mm to be set into concrete. Board 112 x 73 cm, basket Ø 45 cm and net. Height adjustable from 2.00 to 3.05 m. Extension 60 cm

No. 31020



### **Streetball Unit Atlanta**

Free-standing, robust mobile system made from powder-coated steel tubing approx. 95 mm Ø. The base can be filled with sand (approx. 190 kg). Weather-resistant, recyclable plastic backboard 112 x 73 cm complete with solid steel basket 45 cm Ø and nylon net. Basket height 3.05 m.

No. 310201



### Streetball Unit Dallas foldable

The advantage of this unit is easy transport and storage. Board 112 x 73 cm. The recyclable board is directly fixed to the foldable mast by 2 clamps together with the solid steel basket. The basket is powder-coated, 45 cm  $\emptyset$ . Height 3.05 m. The unit must be secured with 100 kg minimum when playing.

No. 310204



## Streetball Unit Chicago

Free-standing, mobile, sturdy top system made of powder-coated steel pipe approx. 95 mm. The base can be filled with sand (approx. 190 kg). The basket can be fixed in any height from 3.05 m (competition) to 2.10 m (kids). Weatherproof, recyclable plastic board 112 x 73 cm, including solid basket 45 cm, nylon net and extension.

No. 310202



## **Streetball Unit Los Angeles**

Free-standing, robust mobile system made from powder-coated steel tubing. The base can be filled with sand (approx. 190 kg). The height of the basket can be automatically adjusted using a lever from 3.05 m (competition) to 2.10 m (kids). Weather-resistant, recyclable plastic backboard 112 x 73 cm, complete with solid steel basket 45 cm  $\emptyset$ , nylon net and arm.

No. 310203




## Streetball Unit St. Louis

Free-standing, mobile, sturdy top system made of powder-coated steel tubing approx. 95 mm. The base can be filled with sand (approx. 190 kg). Weatherproof, recyclable plastic backboard 112 x 73 cm, including solid steel basket 45 cm  $\emptyset$ , nylon net and arm. The basket height is adjustable to 3.05 m, 2.75 m and 2.45 m.



# Basketball System Court Royal with GFK Backboard round

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot- galvanized, fully welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. GFK board in rounded shape 120 x 90 cm with an orange-coloured DIN-basket and a 6 mm nylon net, including ground sleeves





# Basketball System Court Royal with Aluminium Board 120 x 90 cm

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot- galvanized, fully welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. A massive 8 mm strong aluminium board, angular form 120 x 90 cm with Big Duty basket and a chain net which is attached at 12 points, including ground sleeves.



## Basketball System Court Royal with Aluminium Backboard round

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot- galvanized, fully welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. Massive 8 mm strong aluminium board in rounded shape 120 x 90 cm with an orange-coloured DIN-basket and a 6 mm nylon net, including ground sleeves.

**No. 300265** extension 120 cm **No. 300221** extension 165 cm

### **Basketball Unit, Movable, Aluminium**

Stable double post construction, entirely made of square aluminum profiles, partially welded. Stable flexible transport rollers. The case for the counterweights is located low, thus ensuring stability and preventing the system from overturning. For transportation reasons the weights (minimum 200 kg) are not included. The 120 x 180 cm backboard is made of weather-resistant GRP. Plastic coated steel basked and 6 mm nylon net. Delivery includes boards, goal and net.

**No. 30151** extension 165 cm



## Streetball Unit Court Royal with Grid Backbord

Stable single-post structure made from 90 x 90 mm steel tube, hot-dip galvanized with screw-on plate for basket. Grid backboard 120 x 90 cm, including super-stable basket ring with chain net, galvanized, including ground sleeve.

**No. 300262** extension 120 cm **No. 300222** extension 165 cm



# Streetball Unit Court Royal Heavy Duty with Aluminium Backbord

Stable single-post structure made from 90 x 90 mm steel tube, hot-dip galvanized with screw-on plate for basket. Including target backboard made from 8 mm solid aluminium 120 x 90 cm, painted white. Including super-stable basket ring with chain net, galvanized, including ground sleeve.

No. 300232 extension 120 cm



## Streetball Unit Court Royal Heavy Duty with Grid Backbord

All-metal competition streetball system made of galvanized steel pipe 114 x 4.5 mm. Steel grid board, extra low-noise, hot-dip galvanized, 120 x 90 cm. Powder-coated with flat iron enhancement for fixing. DIN drill-holes, with chain net.

No. 300230





## **Big Duty Basketball System**

Steel tube single-pole frame made from square profile 15 x 15 cm, hot-dip galvanized, projection 165 cm, fully welded. Including target backboard made from 8 mm solid aluminium 120 x 90 cm, painted white. Including super-stable basket ring with chain net, galvanized. Basket is screwed directly to frame and therefore prevents target backboard from being damaged if subjected to extreme stress. The system is extremely stable, weather-resistant, maintenance-free and vandalism-proof, therefore ideal for use on public playgrounds and sports facilities, galvanized.

No. 30027 with Alu backboard 120 x 90 cm

No. 30038 with Alu backboard round 120 x 90 cm





## **Basketball Basket Hobby**

Solid design, red powder-coated. 45 cm ring. Complete with net. DIN drill holes 7.5 x 6.5 cm.

No. 300203

## **Basketball Basket Junior**

Solid design, red powder-coated. 35 cm ring. Complete with 8 loop net. 2 hole pattern.

No. 300213




### Basketball Basket DIN - reinforced

Same as 30220, but with reinforced ring and bar, red powder-coated, complete with back plate. According to international standard with DIN drill holes  $11 \times 9$  cm. EN 1270. Without net.

No. 30224



Basketball Tuck-In Flap Allows quick removal of DIN goal No. 30220. No. 302210



## **Basketball Basket Flex 30**

Simple retractable goal with self-contained cage. Red powder-coated with DIN drill holes 11  $\times$  9 cm. EN 1270. Without net.

No. 31040

## **Basketball Basket Flex 70**


Competition goal according to international standard. Double-spring retracting mechanism in self-contained safety cage. Resists loads of up to 70 kg on the ring. Red powder-coated with DIN drill holes 11 x 9 cm. EN 1270. Without net.

No. 30227



## Basketball Basket Ultra Flex 80


DIN competition goal according to international standard. Net attachment by self-contained safety cage with inlying wire. No hooks. Resists loads of up to 80 kg on the ring. Red powder-coated with DIN drill holes  $11 \times 9$  cm. EN 1270. Without net.



### Streetball Backboard I

In sandwich construction. Weatherproof, vibration-resistant FRP board without drilling.

No. 30212 120 x 90 cm



## Basketball Backboard 120 x 90 cm Aluminium


Solid aluminium backboard made of sturdy aluminium sheet, with DIN drill holes  $11\,x\,9\,cm$ , white powder-coated.

No. 30216

## Basketball Backboard 120 x 90 cm Aluminium, round

Solid aluminum backboard made of sturdy aluminium sheet, with DIN drill holes  $11 \times 9 \ \text{cm}$ , white powder-coated.


No. 30219



## **Streetball Grid Board**

Made of hot-dip galvanized steel, 120 x 90 cm, extra low-noise. Top quality with DIN drill holes  $11 \times 9$  cm.

No. 300112



### **Basketball Backboard**

Made of FRP, sandwich construction, smooth on both sides, vibration-resistant, without drilling.

**No. 30200** 120 x 180 cm **No. 30201** 105 x 180 cm **No. 30210** 120 x 90 cm



## 1) Basketball Net France

Color: blue/white/red. 4 mm nylon.

No. 30231

## 2) Basketball Net Germany

Color: black/red/gold. 4 mm nylon.

No. 302311

### 3) Basketball Net Ultra

Color: white, nylon cord 6 mm.

No. 30230

## 4) Basketball Net steel 12-spot

Galvanized steel chain net.

No. 30233

## 5) Basketball Net steel 8-spot

Galvanized steel chain net. Only for Big Duty basket.







**Universal Sport Posts Free-Standing** Can be used both outdoors and indoors. The multigame system that has been developed by Universal Sport is suitable for games involving nets and lines. The easily legible scale with game markings enables easy height adjustments, even if the net has already been erected. The system consists of two base frames, each weighing 60 kg, and 12 plastic-coated cast iron weights, each weighing 10 kg. The total weight per stand is therefore 120 kg. The rubber wheels with mounted ball-bearings make it easy to transport the system and the weights. In order to make the system easier to transport on uneven surfaces the cast iron weights can be removed, which reduces the weight by 60 kg and allows you to access any playing field. This makes any additional transport equipment

The rear side of the system is equipped with protective rubber pads. The plastic-coated  $50 \times 50$  steel columns can be adjusted from 1.55 m to 2.45 m and are equipped with a safety lock. The scope of delivery includes an all-purpose net (length 6.10 m). The following games can be played: Tennis - Mini tennis - Fistball - Volleyball - Beach volleyball- Foot tennis

- Indiaca - High jump with Zacharias bar.

The system has been designed in compliance with the GBF guidelines and is therefore suitable for badminton tournaments.


No. 32001



### **Badminton Post I**

For competitions and school sports. Post made of  $50 \times 50$  mm aluminium profiles. Complete with hooks, tensioning belt and ground sleeves.

No. 30802



## **Badminton Post II**

For competitions and school sports. Posts made of  $\emptyset$  83 mm aluminium special profile. Complete with hooks, tensioning belt and ground sleeves.

No. 300802



Movable free-standing system with rubber wheels on the weighted base. Posts made of 40 x 40 mm steel pipe. Complete with hooks and tensioning belt, painted blue. Weight per post approx. 25 kg, radius 60 cm

kg each, as well as 12 plastic-coated cast iron weights, 10 kg each. This means a total weight of 120 kg for each post. The system has protective rubber pads. The 50 x 50 mm posts come complete with a tensioning belt. Solid rubber wheels mounted on ball-bearings enable easy transport with the weights. By taking off the weights and the posts the system can be easily stored

and transported. No. 30831

**Cast Iron Weights** 

No. 40498

Approx. 10 kg, plastic-coated





## **Badminton Net Training**

Made of 1 mm nylon cord, with tensioning cord. Size 6.10 m wide, 76 cm high. Mesh size 20 mm, edged all round.

No. 30840



## **Badminton Net Olympia**

Made of 1.2 mm nylon line with tensioning steel wire, 6.60 m long. Size 6.02 m wide, 76 cm high, mesh size 18 mm, edged all round.

No. 30860



## **Badminton Net Super Cup DIN**


Competition net, compliant with DIN EN 1509 made of 1.4 mm nylon cord with 8 m long tensioning Kevlar cord and lateral polyester rods. Size 6.02 m wide, 76 cm high, mesh size 18 mm, edged all round.



## Volleyball Posts Court Royal 80 Steel

Very sturdy volleyball posts 80 x 80 mm, made of steel, coated in white. Net attachment and tensioning device galvanized, smooth-running and continuously adjustable. Height of post from the ground 300 cm. Complete with ground sleeves

No. 30505



### **Volleyball Post Universal 80 Aluminium**

Reliable, solid volleyball post 80 x 80 mm aluminium, compliant with DIN 7896. Easy-running net attachment and tensioning devices (galvanized, trapezoid thread mechanism) continuously adjustable. Surface of the posts and impulse profiles are matt-silver anodized. Complete with ground sleeves and covers.

#### No. 30500



## **Volleyball Post Special 80**

Top volleyball post 80 x 80 mm made of aluminium profile compliant with EN 1271. Extra sturdy construc-tion including slider with roller and tensioning device, crank as well as net hooks. Surface matt-silver anodized. Complete with ground sleeves and covers.

Reliable, solid volleyball post 83 mm made of aluminium special profile, compliant with DIN 78966. Easy-running net attachment and tensioning devices continuously adjustable. All steel parts are galvanized. Post surface is matt-silver anodized. Complete with ground sleeves

### No. 30501



## Volleyball Post Special 83

Top volleyball post 83 mm made of aluminium profile compliant with EN 1271. Extra sturdy construction in-cluding slider with roller and tensioning device, crank as well as net hooks. Surface matt-silver anodized. Complete with ground sleeves and covers.



## **Aluminium Umpire's Chair**

Aluminium volleyball umpire's chair made of round profile Ø 35 mm. Simple height adjustment, 3 possible settings, complete with 4 rubber feet, 2 straps for fastening to volleyball post, plastic table.

No. 30600



**Volleyball Antenna** one piece With GVF certification mark, length 180 cm, complete

with bag and marking tape.

No. 30675



Aluminium construction, height continuously adjustable with crank. Entrance via ladder at rear. Four adjustable rubber feet, webbing for fastening to volleyball post, table and back made of PE500.

No. 30610





## **Volleyball Net Training**

Robust design made of 2 mm polyethylene cord with 11.70 m long steel rope. Dimensions according to regulations 9.50 m long, 1 m high, mesh size 10 cm.


No. 30620



## **Volleyball Net Tournament**

Especially used for outdoor use, very sturdy design made of 3 mm polyethylene cord with 11.7 meter long steel wire. Size compliant with regulations: 9.5 meter long, 1 meter high, mesh size 10 cm.

No. 30660



## **Beach Volleyball Net UNIVERSAL**

Black polyethylene net 2 mm, 9.5 m long, 1 m high, top with 50 mm wide edging in neon-yellow Universal Sport logo.



## **Volleyball Post Heavy Duty**

Absolutely weatherproof, very sturdy, vandalismproved, competition-approved volleyball post made of 90 x 90 x 4 mm hot-dip galvanized steel profile. Height adjusted with a very easy-to-handle mechanism. Net tensioned with a turnbuckle. Complete with ground sleeves 35 cm. Post length 300 cm.

No. 30510



## **Beach Volleyball Post Court Royal 83**


83 mm Ø aluminium (DIN 7896). Easy running net attachment and tensioning devices (galvanized, trapezoid thread mechanism) steplessly adjustable. Surface is yellow powder-coated. Including ground sleeves made of aluminium, 35cm long.

No. 30693




## **Beach Volleyball Marking Lines**

9 x 18 m, made of polyester tape 50 mm, with loops at each corner and middle marking. Complies with the GVF (German Volleyball Federation) requirements. Wounded onto a plastic reel. Complete with 4 ground anchors. Color, dark blue. No. 30688



## **Beach Volleyball Net UNIVERSAL**


Black polyethylene net 2 mm, 9.5 m long, 1 m high, with 50 mm wide edging in neon-yellow Universal Sport logo. No. 30684



## **Beach Volleyball Net**

Black polyethylene 2 mm, 9.50 m long, 1 m high, with pink edging 50 mm wide.

No. 30680



## **Beach Volleyball Competition Net**

Top 3 mm, low-stretch polyester tensioning rope, bottom 4 mm tensioning rope. With 4 tensioning cords as well as 75 mm wide coated edging in neon yellow.


No. 30681



## **Beach Volleyball Marking Lines Turnier**

9 x 18 m (or 8 x 16 m) with adjustable plastic corner elements, 50 mm wide PES-webbing and middle marking. Complete with 4 plastic ground anchors, 23 cm long and bungee tensioning ropes. color: dark blue. No. 30686





## **Marking Strips with Perforations, Universal**

Simple installation without nails. Non-slip surface, excellent ball bounce behavior. Set consists of 85 lengths 4 cm wide, 8 lengths 5 cm wide, each 1.60 m long. Complete with connectors. Complying with international regulations.

No. 40290 4 + 5 cm

No. 40291 93 lengths 5 cm

## **Marking Strips unperforated**

No. 40250 white, 4 + 5 cm



## **Replacement Marking Strips with Perforations**

Complete with connectors. Set of 10 lengths, each 1.60 m


No. 40292 4 cm

No. 40293 5 cm

### **T-connectors**

100 per set

No. 40301



## Marking Line I

Installation requires only a few nails (nails not included). Set consists of 3 rolls, each roll 50 m.

No. 40200 4 cm

Only available in complete sets.





## **Fastening Nails**

Rounded, flat-head, hot-dip galvanized. Specially made for tennis lines. 5 kg required for each court.

No. 40310

## **Treated Wooden Pegs**

For securing the corner points. 16 pegs required for each tennis court.

No. 40330



#### Iso-Line

Anti-frost line covering. Protection against frost and other extreme weather conditions. Polyethylene 150 mm wide, 8 mm thick, set consists of three rolls, each 50 m. The tape should be weighted down with stones every 30 cm.

## **Tennis Line Speziala / Court Plus**

This tennis line has been developed especially for clay courts. Made of flexible, hard, grooved PVC. With 4 mm wide lateral slits, at 28 mm intervals. The lines for double courts are supplied in 6 rolls. Hard PVC and lateral slits allow the lines and court surface to interlock perfectly. The lines are anchored with 18 ground plugs per court, which are included with all line sets. The installation of the lines can be carried out by only 1 person. Please choose the lines with the appropriate anchoring set for your needs.



**Ratchet Tensioner** 

No. 40371

Galvanized tensioner with special belts.

### **Drive-in Peg for Anchor Tube**

Made of steel. In order to avoid damages while bashing the ground anchors, it is highly recommendable to use the drive-in-peg for anchor tubes. No. 40376

**Anchor Tube Ground Plug** No. 40373

Anchor Tube Floor Dowel made from stainless steel No. 403730

## Tennis Line Speziala I / Court Plus I

Includes 18 anchor tube ground plugs 4 rolls, each 24 m - 4 cm width / 1 roll, 22 m - 4 cm width / 1 roll, 17 m - 4 cm width / 1 roll, 13 m - 5 cm width No. 40365

## Tennis Line Speziala II / Court Plus II

Includes 18 anchor tube ground plugs 4 rolls, each 24 m - 4 cm width / 1 roll, 22 m - 5 cm width / 1 roll, 30 m - 5 cm width

No. 40366

## Tennis Line Speziala III / Court Plus III

Includes 18 anchor tube ground plugs 4 rolls, each 24 m – 5 cm width / 1 roll, 22 m – 5 cm width / 1 roll, 30 m - 5 cm width

No. 40367

### Speziala 40 mm - Replacement Roll

No. 40374 17 m roll No. 403740 22 m roll No. 403741 24 m roll

## Speziala 50 mm - Replacement Roll

No. 40375 13 m roll No. 403750 22 m roll No. 403752 24 m roll No. 403751 30 m roll



## Consists of: 18 fixing clamps, rust-proof No. 403530

#### Fixing Clamps

Made from stainless steel. For better anchorage of the corners. Fits to all Speziala sets.

No. 40353



### Speziala Anchoring Set I

Consists of: 18 stainless steel tubular anchors, 16 pieces with 4 cm anchors and 2 pieces with 5 cm anchors.

No. 403760

## **Speziala Anchoring Set II**

Consists of: 18 stainless steel tubular anchors, 8 pieces with 4 cm anchors and 10 pieces with 5 cm anchors.

No. 403761


### **Speziala Anchoring Set III**

Consists of: 18 stainless steel tubular anchors, 18 pieces with 5 cm anchors. No. 403762

**Tubular Anchor** 

No. 40372

**End Fastener** No. 40358 4 cm



## Tennis Net Court Royal TN 8

Made of 3.2 mm braided polyethylene, hand-knotted, black, stable polyester net enclosure stitched four times, complete with steel wire. DIN EN 1510. With European Seal of Approval.

No. 40549 black



Made of 3.4 mm braided polyethylene, hand-knotted, black, stable polyester net enclosure stitched 6 times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging as well as two 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

No. 40545 black



## **Tennis Net Court Royal TN 15 black**

Made of 3.2 mm braided polyethylene, black, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched 4 times. A super tennis net, long-lasting, good quality. Complete with steel wire. DIN EN 1510. With European Seal of Approval.

No. 40550 black



## Tennis Net Court Royal TN 15 green

Made of 3.2 mm braided polyethylene, green, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched 4 times. A super tennis net, long-lasting, good quality. Complete with steel wire. DIN EN 1510. With European Seal of Approval.

No. 40552 green



## **Tennis Net Court Royal TN 20 black**

Made of 3.4 mm braided polyethylene, black, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times. 1000 times proven, classic tennis net. Used in the tennis league, ATP-tournaments, Davis-Cup, as well as in the Olympics. A top-class product. Complete with steel wire. 2 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

No. 40560 black



## **Tennis Net Court Royal TN 20 green**

Made of 3.4 mm braided polyethylene, black, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times. 1000 times proven, classic tennis net. Used in the tennis league, ATP-tournaments, Davis-Cup, as well as in the Olympics. A top-class product. Complete with steel wire. 2 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

No. 40570 green



## **Tennis Net Court Royal TN 90 black**

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging, as well as 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. A tennis net in a special class. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. Used in ATP tournaments, Davis Cup, as well as in the Olympics.



### **Tennis Net Court Royal TN 30**

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 7 rows double-knotted, stable polyester net enclosure stitched 6 times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging as well as two 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval.

No. 40548 black



## **Tennis Net Court Royal TN 50 Tournament**

Made of 3.5 mm braided polyethylene. Hand-knotted, the upper 7 rows double-knotted, very stable polyester net enclosure stitched four times. Complete with plastic-coated steel cable. 2 years warranty on the netting. Mesh size 4 cm, prevents balls becoming stuck in the net. DIN EN 1510. With European Seal of Approval.

No. 40565 black

## **Measuring Rod**

Aluminium tube with marking at net height 91.5 cm

No. 40652



## Tennis Net Court Royal TN 90 green

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging, as well as 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. A tennis net in a special class. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. Used in ATP tournaments, Davis Cup, as well as in the Olympics.

No. 40611 green



## **Deluxe Tennis Net Court Royal TN 200**

Made of 5 mm polyethylene with PVC covering. Very strong headband and borders. This net is also noted for its extremely long lifespan. Includes steel wire.

No. 40580 black

#### **Open Air Tennis Net Court Royal TN 150**

Made of 3.9 mm polyethylene with PVC covering. Very robust and weatherproof tennis net with an especially long lifespan. A top-quality product of Universal Sport. Includes steel wire, color black.

No. 40575 black



## **Tennis Net Court Royal TN 55 Tournament Singles**

Made of 3.5 mm braided polyethylene. Hand-knotted, the upper  $\bar{7}$  rows double-knotted, very stable polyester net enclosure stitched four times. Complete with plastic-coated steel cable. 2 years warranty on the netting. Mesh size 4 cm, prevents balls becoming stuck in the net. DIN EN 1510. With European Seal of Approval.

No. 40566 black



**Center Strap I** Made of cotton fabric, with brass eyes.

No. 40700

**Center Strap II** Made of PVC, with adjustable loops and spring hooks.

No. 40710

**Center Strap III** 

With plastic snap lock, spring hook and Velcro strip.

No. 40720


**Center Strap IV** With Velcro closure.

No. 40711

Universal **Center Strap** 

Made of high-strength nylon with stainless steel buckles and special hooks.

No. 40690



For winding and storage of tennis nets. Ready for use at any time.

No. 40551



## **Tennis Net Numbering**

Red plates made out of plastic, 30 mm diameter, with white numbers and snap hook to fix it to the tennis net for easy indentification of courts.

No. 40553 Set of 6 No. 40554 Set of 12 No. 40556 Set of 18



## 1) Tennis Net Weight

Made of steel pipe with suspension eye for strap. **No. 40721** 

## 2) Ground Anchor I

Made of stainless steel. **No. 40740** 

3) **Ground Anchor Submerged Tube** 

Made of aluminium for indoor and all-weather courts.

No. 40760

## 4) Tensioning Screw

Made of galvanized iron, with counter nut. **No. 40730** 

## 5) **Ground Anchor Special**

Steel wire with 3 mm eye loop for attachment. Anchors when secured in the ground.

No. 40751

## 6) **Ground Anchor II**

Galvanized to hammer in, easy to use. **No. 40750** 

## 7) **Ground Anchor III**

U-shaped, galvanized.

No. 40755



## Replacement Tennis Net Headband

Fast to replace, complete with looping string. **No. 40670** 

Replacement Wire with loops, 13.80 m long.

No. 40660

**Single Net Rod** To use for single tournament games. Made of aluminium.

No. 40650 aluminium anodized

**No. 40649** white **No. 40648** green

No. 40655 black No. 40647 blue



## **Gound Sleeves 73**

Ground sleeves for 73 Ø mm post.

No. 404281



## **Gound Sleeves 76**

Ground sleeves for 76 Ø mm post.

No. 40428



movable crank, net-holding straps and net hooks fully welded. Delivery without ground sleeves.

No. 40427

## **Gound Sleeves 76**

Ground sleeves for 76 Ø mm post.

No. 40428



80 x 80 mm galvanized steel, green powder-coated. With brass gear mechanism, stringing block and a removable crank. Ground sleeves not included. Meets the European DIN EN 1510 safety standard.

No. 40424

## Ground Sleeves 80 x 80

Ground sleeves for 80 x 80 mm post.

















Round post, Ø 83 mm. Special reinforced aluminium profile with groove for fastening the net holding rod. Internal trapeze tensioning mechanism with an aluminium key for easy net tensioning. Clip-on cap made of cast aluminium including safety chain. Overall length of posts: 142 cm. Weight: 10.5 kg. Aluminium ground sleeves, depth of insertion 35 cm, complete with cast aluminium cover. Meets the European DIN EN 1510 safety standard.

No. 40400 aluminium anodized No. 40410 green powder-coated No. 40411 white powder-coated No. 40447 black powder-coated







### Tennis Net Post Court Royal TP 80

Square post, 80 x 80 mm. Special reinforced aluminium profile with groove for fastening the net holding rod. Internal trapeze tensioning mechanism with aluminium key for easy net tensioning. Clip-on cap made of cast aluminium including safety chain. Overall length of posts: 142 cm. Weight: 10.5 kg. Aluminium ground sleeves, depth of insertion 35 cm, complete with cast aluminum cover.

Meets the European DIN EN 1510 safety standard.

 ${f No.~40430}$  aluminium anodized

No. 40440 green powder-coated

No. 40445 white powder-coated

No. 40446 black powder-coated

No. 40448 blue powder-coated









## **Tennis Net System Court Royal II Tournament**

This newly developed tennis net system is a unique top-class product; it differs from conventional systems through simple modification from double court measurements to single court measurements. Will be delivered in 5 parts. For single court usage the middle part has to be removed and a single net has to be mounted. Delivery is without net, single net rods and center strap. Here we recommend tennis net Court Royal TN50 No. 40565 (page 63) for doubles and tennis net Court Royal TN55 No. 40566 for single as well as Center Strap II No. 40710 (page 64), weight: 165 kg.

No. 40485



**Tennis Net System Court Royal modified for single match** 




Additional Weights for ATP-tournaments and Davis-Cup No. 404901 (1 set has 4 weights à 10 kg)



Single Net Rods Special for Tennis Net System Court Royal No. 404902



**Tennis Net System Court Royal with mounted weights** 






### **Court Royal Pointer Heavy II**

Size: 46 x 60 cm with 7 cm high numbers.

The new generation of the Court Royal Pointer II is a further development in quality and functionality to an attractive price. The fully-moulded and deep-drawn 4 mm ABS plastic plates are very robust, weather-resistant and non-fade. 6 stable easily rotatable, non-adherent turnables with 7 cm high, clearly legible numbers are hall-marks of this top product. The Court Royal Pointer can be displayed on both sides and due to its improved design with Home and Guest, it has a better clarity. Easy attachment to the fence by included special fixing.

No. 40832 blue No. 40838 green No. 40839 white



## Court Royal Pointer Heavy II, freestanding

The new generation of the Court Royal Pointer II is a further development in quality and functionality to an attractive price. The fully-moulded and deep-

drawn 4 mm ABS plastic plates are very robust, weather-resistant and non-fade. 6 stable easily rotatable, non-adherent turnables with 7 cm high, clearly legible numbers are hallmarks of this top product. The Court Royal Pointer can be displayed on both sides and due to its improved design with Home and Guest, it has a better clarity. Stable, fillable with sand plastic, base with aluminium rods for fixing the Court Royal Pointers

Size: 46 x 60 cm with 7 cm high numbers.

No. 408321 blue

No. 408381 green

No. 408391 white



## Advertising Umpire Chair Court Royal Deluxe Grand Slam

This heavy duty chair is ideal for advertising with 2 side panels of 10 mm PVC and 3 mm panels between steps. Plastic-coated aluminium base with UV-resistant seat and PVC table. Supplied without advertising. Supplied in standard color white, also available in green or other RAL colors on request.

No. 408101

## 4-color digital printing

Please provide file for printing.

No. 407934



## **Umbrella for Umpire Chair**

Solid, tiltable parasol with a diameter of 150 cm, red. Incl. fittings. No. 40800



## Advertising Umpire Chair Court Royal Deluxe Grand Prix

Plastic coated aluminium chair with UV-resistant seat and PVC table, ideal for advertising. Base frame with two side panels of 10 mm PVC. Supplied without advertising. Supplied in standard color white, also available in green or other RAL colors on request.

No. 408100

## 4-color digital printing

Please provide file for printing.



No. 408149 white No. 408147 blue



Seat, red No. 40771

Writing board

white, 550 mm x 15 mm x 10 mm.

Nr. 408097



## **Umpire Chair Court Royal Tournament**

Elegant aluminium umpire chair with European Seal of Approval DIN EN 131. Very robust because of the stable ladder and the projecting supports with four base plates. The seat mount has an extra crossbar behind the red, UV-resistant body-contoured seat.

No. 40800



## **Umpire Chair Court Royal Deluxe**

This aluminium umpire chair with European Seal of Approval DIN EN 131, meets the highest standards. The ladder with its especially wide slip-proof rungs, as well as the projecting supports with four base plates, gives this chair optimum stability. The middle plate between the ladder and the supports provides extra durability. The seat mount has an extra crossbar behind the red, UV-resistant body-contoured seat.

No. 40809







## **Umpire Chair Court Royal Deluxe powder-coated**

Same features as model No. 40809, green, white or blue powder-coated, with green, white or blue seat.

No. 408099 No. 408098 No. 408089

green white blue



## **Aluminium Multi-Purpose Shovel**

To spread clay or to remove old material and leaves, complete with handle.

**No. 40101** Size: 380 x 380 mm



## Manual Roller I Special

For tennis courts and sports grounds. Working width 90 cm, empty weight 60 kg, water filled 180 kg. Single-piece roller body with rounded edges and counter weights.

No. 40170

### Manual roller I

Like article No. 40170, but without counter weights.

No. 40171

## Manual roller II Special

Like article No. 40170, but with a split roller body which makes it easier to turn.

No. 40180

## Manual roller II

Like article No. 40180, but without counter weights.

No. 40181




### **Rubber Rakes**

For fast removal of leaves and rubbish, without handle.

**No. 40090** 50 cm wide **No. 40089** 70 cm wide

## Wooden Handle Ø 28 mm for Rubber Rakes.

No. 40094




## **Special Rake**

 ${\sf M}^{\sf a}$  de of stainless steel, corrosion-resistant, for professional smoothing of clay courts, 66 cm wide, without handle.

No. 40083

## Wooden Handle Ø 28 mm

No. 40094



### **Aluminium Plow**

One side with steel band saw blade, the other side with solid profile, 70 cm wide. No. 40050

## Saw Blade for plough

No. 40051


## Wooden Handle Ø 28 mm



## **Hard PVC Smoothing Mat**

The scratch elements at the bottom side are ideal for rouphening the place and at the same time for smoothing the unevenness and cleaning from leaves without damaging the surface. Especially suited for artificial grass couts and clay courts. All used material is extremely weather-resistant and low wear. Size: 185 x 75 cm.


#### No. 41070



## **Aluminium Drag Net, Special Single**

One Extra-PVC fabric net with aluminium rail and drag cord. Working width 200cm, depth 150 cm.

### No. 410301




### **Wooden Drag Net, Special Single**

One special PVC fabric net 200 x 150 cm, with wooden rail. Suitable for clay and shale courts.

### No. 41030

## Important Information:


Our wooden drag nets are made from torsion-free red pine wood which is not comparable to any other hard wood. Red pine is characterized by its density and durability. This type of wood is often used in high-quality furniture and patios. More than 100.000 wooden drag nets have been produced by Universal Sport over recent years.



## **Combination Leveler**

The PVC front part loosens and clears unevennesses and with the rear part of the heavy drag net the open places are smoothed again and scratched filth gets dragged along. All used material is extremely weather-resistant and low-wear. Working width: 185 cm.


#### No. 41079



## **Aluminium Drag Net, Special Double**


Two Extra-PVC fabric nets with aluminium rail and pull-handle. Working width 200 cm, depth 150 cm.

## No. 410302



### **Wooden Drag Net, Special Double**





### **Broom-Mat Platzfit 150**

No. 41071 working width 150 cm


Combination broom and mat. Consists of a broom with plastic bristles and PVC drag net. Aluminium rail and handle.



### **Broom-Mat Platzfit 200**

Combination broom and mat. Consists of a broom with plastic bristles and PVC drag net. Aluminium rail and handle.

No. 41072 working width 200 cm



### **Universal Steel Wire Broom**

Roughening of hard and water-impermeable tennis courts. For removing surfaces overgrown with moss. Ideal equipment for the work in spring. Should not be missing on each tennis court. Heavy model including aluminium pulling handle.

No. 40920



## Granu-Top

This is the perfect broom for cleaning granular surfaces. The bent ends of the broom and the position of the bristles guarantee an even spread of granules. The static supercharge cleans debris abraded from the balls and lint from the surface. Complete with aluminium handle and weights on both ends. Working width 200 cm.

No. 41076

## **Replacement Brush Granu-Top**

No. 410761 200 cm


## **Universal Tennis Court Broom Plastic, red**

The 200 cm width smoothing broom with 4 replaceable broom parts is the ideal maintenance device for clay courts. The aluminium base frame has net guards on each side. Complete with a two-part, sturdy aluminium pulling handle.

No. 40860

## Replacement Brush Plastic, red

**No. 40890** 50 cm



### Tennis Court Broom for Quartz Sand Plastic, yellow

The Smoothing Broom with 4 replaceable broom parts is the ideal maintenance device for quartz sand courts. The aluminium base frame has net guards on each side. Complete with a two-part, sturdy aluminium pulling handle, width 200 cm and yellow plastic bristles.

No. 40881

## Replacement Brush Plastic, yellow

No. 40883 50 cm




## **Line Brush Top**

Sturdy plastic-coated aluminium handle with joint. Brush with high-quality bristles.

No. 41134 Arenga (soft) No. 41137 Plastic (hard)

## **Replacement Brush Top**

No. 41135 Arenga (soft) No. 41138 Plastic (hard)



## **Line Brush Nuovo**

Plastic line brush with articulated joint, easy to use.

No. 41125 with wooden handle No. 41124 with aluminium handle

## **Replacement Brush Nuovo**

No. 41126

## **Replacement Wooden Handle for NUOVO**

No. 41127

## **Replacement Aluminium Handle for NUOVO**

No. 411261



## Line Brush I with handle

No. 41116 Plastic No. 41117 Arenga

## Line Brush II without handle

No. 41100 Plastic No. 41110 Arenga

Wooden Handle Ø 24 mm

No. 40091

## **Line Lightning Sweeper**

Perfected, well-designed line cleaner for all surfaces, especially clay, shale and rubber granule surfaces. All parts replaceable. Without handle.

No. 41081

**Replacement Sweeper Blades** No. 41084

**Replacement Rolls** 

No. 41085

**Replacement O-Ring** 

No. 41086 set of four

**Bracket** 

No. 41088

**Replacement Wheels** No. 41089 set of two



### **Match Liner**

Counter running brush sweeper for all tennis surfaces. Hard-wearing weather-proof construction. Without handle.


No. 41082

## **Replacement Brush**

No. 41083

Handle 24 mm

# **Court Accessories**





# **Drag Net Double Holder**

The newly developed double drag net holder for ideal storage of smoothing and drag nets. Made of aluminium tubing with two hooks and a fixing bracket for fence posts with Ø 60 mm. The holder is coated in yellow plastic and therefore easily visible.

No. 41434



### **Tool Holder**

Zinc-plated steel, fixing bracket with standard hook. To hang brooms, drag nets and smoothing mats.

**No. 41430** Ø 45 mm **No. 41440** Ø 60 mm



# **Drag Net Holder**

Made of galvanized flat iron, 3 mm thick, includes fixing materials for trouble-free assembly on fence post. **No. 41443** 



# **Handle Holder**

For line brushes and all other equipment with a broom handle diameter of 23–28 mm. The rubber holder holds the handle securely. The holder can be easily attached to a fence post with  $\emptyset$  60 mm, by using clamps.

No. 414321



### **Tool Holder EXTRA**

Fixing clamp with rubber lining. Does not damage posts. All steel parts zinc-coated. For brooms, drag nets and smoothing mats. For fence post with 60 mm  $\emptyset$ .

No. 41435



#### **Tool Holder**

Fixing clamp with 1 hook. For brooms, drag nets and smoothing mats. Made of zinc-coated steel, for fence post with 60 mm  $\emptyset$ .

No. 41431



### **Hand Brush Holder**

Fixing bracket with 2 hooks for hanging hand brushes. Made of steel, for fence post with 60 mm  $\emptyset.$ 





# **Ball Machine Playmate Portable**

High-quality machine with aluminium cabinet. Very easy handling and compact storage. Holds 200 balls, battery powered with on/off remote control. Variable back and top spin, oscillation with one, two or three lines.

Technical data:

• Ball capacity: 200 balls • Dimensions(HxWxD): 64x56x48 cm • Weight: 31 kg • Power: battery · Playing time: 6 hours • Recharging time: 12 hours · Feeding interval: 1-10 sec. • Top speed: 140 km/h • Ball flight: short-long

Line-directions:
 Ball spin:
 Case:
 Remote control:
 Aluminium
 Section and random topspin and slice
 Aluminium
 Remote control:
 yes on-off

No. 42003

**Playmate ACE** 

One of the top-selling machines in the USA. Comes with an ON/OFF remote control. Ball frequency: Two different ball speeds and spins. Elevation control; ball can be played from a drop shot to a baseline drive; variable topspin and backspin. Oscillation to one, two or three lines.

Technical data

Ball capacity: 200 balls
Dimensions(HxWxD): 96x48x87 cm
Weight: 33 kg
Power: 220 volts
Feeding interval: 1-10 sec.
Top speed: 150 km/h

Ball flight: short-long adjustable
Line-directions: 3 directions right-left-right

Ball spin: topspin and slice
 Case: Aluminium
 Remote control: yes on-off







### **CLAX** ® Ball Trolley

This newly developed trolley is essential for all tennis trainers. Due to the use of aluminium and a high-grade plastic, a high durability is guaranteed. The easily smooth-running wheels are bearing mounted and are equipped with lever brakes. Foldable within seconds. Storable in almost all trunks. A 46 ltr folding box is included but any other 32 or 46 ltr boxes can also be used. The boxes can be transported on the upper as well as on the lower platform. Load capacity of upper level 20 kg and the lower platform 40 kg.

Dimensions:

Completely opened: (L x W x H)  $55 \times 103 \times 89$  cm, folded together: (L x W x H)  $55 \times 71 \times 18$ 

Cage Height: 85 cm, Cage size: (L x W x H) 60 x 34 x 26 cm0

Capacity: 120 balls, Weight: 10 kg

No. 26000

# Replacement box for CLAX trolley

No. 26001











# **Ball Trolley Court Royal**

Very stable and easily moveable trolley with large casters. Big ball basket and extra storage tray. Chrome-plated frame. The baskets and the lockable cover are powder-coated black. (lock not included)

Capacity: 330 balls, Size: (L x W x H) 60 x 49 x 92 cm, Cage Size: (L x W x H) 60 x 49 x 36 cm, Weight: 10 kg. **No. 43021** 

### **JOWO Tennis Caddy**

The ideal partner for professional tennis trainers. Three height adjustment settings, simple and fast handling in transport. Can be folded for storage in a small space. Lockable cover. Sturdy, weatherproof structure. Capacity: 220 balls.





# **Ball Basket Court Royal**

The best-selling ball basket. Very sturdy, chrome-plated for collecting balls without bending over. Handle can also be used as stand. Locking cover, sturdy construction. Lock not included. Capacity: 70 balls.

No. 42080



# **Ball Pickup Tube Court Royal**

Saves time and efforts picking up balls. Simply press this practical tube down onto the balls on the floor and it picks them up. Holds 17 balls. To empty the tube, just open the cover at the opposite end. Length 120 cm, Weight: 0.8 kg

No. 42053



# **Ball Basket Professional**

Sturdy wire basket with special plastic coating. To collect balls and for use as stand. Super locking mechanism. Very stable. Wheels for easy transport. Hinged cover to lock the basket. Ideal for everyday use. Capacity: 90 balls.

No. 42081



### **Plastic Ball Basket**

Sturdy plastic ball basket with long handles that can be slid into both sides for use as a stand and for carrying the basket. Standing height 80 cm, Capacity approx. 80 balls., Weight: 1.9 kg.





### **Tennisball Balls Unlimited Code black**

A combination of natural rubber and woven English playnes felt. In our range of products this excellent tournament ball guarantees maximum performance and stability. Clearly less expensive than comparable brands. ITF approved tournament quality.

No. 46014 pack of 4



#### **Tennisball Balls Unlimited Code**

High-quality woven TTI-felt from Thailand. Pressureless, durable tennisball for training use. Suited for ball machines.

**No. 42092** pack of 60



#### **BIMBI Easy Stage 2**

High-quality woven flex felt. 40% slower and 20% lighter than normal tennisballs. Applied over years in smallfield-tennis-championships, ITF approved.

**No. 46002** pack of 60



#### **Tennisball Balls Unlimited Code Red**

A combination of natural rubber and woven TTI-felt. This tournament ball guarantees maximum performance and stability. A superb playing behavior and an excellent price/quality-ratio. ITF approved tournament quality.


No. 42093 pack of 4



### **Tennisball Court Royal Coach**

High-quality woven needle felt, perfect price/quality ratio, popular with trainers, excellent stability. Suited for ball machines.

**No. 42091** pack of 60



#### Foam Balls

Polyurethane foam tennis balls, ideal for beginners. Slow play enables a good motion-sequence.

**No. 20846** Ø 70 mm **No. 20844** Ø 90 mm



### **Tennisball TYGER X-Force**

A combination of natural rubber and woven hightech felt. This top tournament ball guarantees maximum performance and is extremely durable. This excellent ball is ITF approved.

**No. 46009** pack of 4



#### **Universal Sport Coach**


High-quality woven English TTI-felt. Pressureless tennisball in tournament quality. The long-lasting elasticity of the pressureless core guarantees extremely long stability. Especially suited for ball machines.

**No. 42090** pack of 60



**Fun Bal** The fun ball bounces in all directions. Ideal for reaction-training. The harder balls are faster than the softer ones.


No. 42095 7 cm soft
No. 420951 7 cm hard
No. 420952 10 cm soft
No. 420953 10 cm hard



### Air-Tennis practice wall

The recently developed Air-Tennis tennis practice wall is the ideal training partner for everyone, from beginners to experts. This product is a unique and absolutely unbeatable piece of training equipment for use in stationary or transportable mode. It comes in a bag and is easy to transport. To set it up, simply unfold it on the ground and roll it out. Use the bellows (supplied), then fill it with air - it just takes seconds. You can use the air pressure gage, also supplied, to check that the air pressure is at the right level, as this also affects the way the ball bounces back. There are also attachment straps on both sides for attaching the practice wall to our pairs of stands, fences, or sports hall walls. The ground protection sheet, also supplied, is simply attached to the rear side of the wall with hook and loop fastener. You can also empty it in seconds, simply by turning over the bellows. Players can play on both sides of the Air-Tennis practice wall. It has lines marked on it at the height of the net to guide the player. Tested by international trainers who rated it very highly.









# Air-Tennis practice wall 3 m

300 x 180 cm No. 42020

### Air-Tennis practice wall 4 m

400 x 180 cm No. 42021

### Air-Tennis practice wall 5 m

500 x 180 cm

No. 42022

# Air-Tennis practice wall 6 m

600 x 180 cm No. 42023

# Air Tennis practice wall set

300 x 180 cm complete with stands.

No. 42025

Use

You can download the informative film about using and





Setup





Pair of stands No. 42024



### **Roobak Training Net Wall**

Made of powder-coated steel tubes. Roobak is a product developed in Australia. With the adjustable net tension and various setting angles it is possible to simulate serves and returns up to 10 meters.

The extreme rebound speed enables a normal playing rhythm and ball control for both beginners and professionals. Different games are possible with the eight marking cones. Dimensions:  $150 \times 150 \text{ cm}$ , weight 6 kg.

No. 45010 hot pink



### **Tennis Net Training Wall**

Transportable net wall of enameled tubular steel. Infinitely adjustable, for different ball variations. Size:  $2.80 \times 2.20 \, \text{m}$ .

No. 42040

Replacement Net for Tennis Net Training Wall 2.60 x 2.0 m. No. 42041




This new speed control measuring instrument can be used for tennis, golf, football and many other ball games. The ball speed can be displayed within a few seconds. Technical Data:

- Speed control from 5 to 199 km/h
  - or 3 to 150 m/h
- Measuring distance from 1-12 m
- Three-figure LED-display with 55mm high digits
- Voice-announcement of the displayed digits is adjustable
- On the average batteries without voice are non-perishable ca. 50h, batteries with voice ca. 30h.
- Automatic switch-off- function for saving the batteries
- 5 AA batteries are needed (Not contained in consignment).
- Suitable for all tripods
- Dimensions: 18 cm x 15 cm x 12 cm

No. 43003

# Tripod for Multi Sports Radar







# Bimbi Club Package II

Consists of: 1 Bimbi small court tennis system, 4 Bimbi children's rackets and 1 Bimbi Easy-Set.

No. 46033



# **Bimbi School Tennis Package II**

Consists of: 2 Bimbi small court tennis systems, 16 Bimbi children's rackets and 2 Bimbi Easy-Sets.

No. 46031



court surface. U-shaped section to insert the cast iron weights. Aluminium net post with quick-action tensioner. The system is easy to dismantle and to transport. Space-saving in storage. It consists of 2 aluminium bases, 2 net posts, 4 plastic-coated cast system weights and a nylon net.

Dimensions 6.10 m x 0.85 m, weight 45 kg.

No. 40495

# Cast iron weights

Approx. 10 kg, plastic-coated.

No. 40498

# **Children's Net System**

Sturdy aluminium system,  $40 \times 40 \text{ mm}$  tubes. Easy to dismantle and to transport. Consists of 2 aluminium bases including posts, each 3.05 m long, 2 net holding rods and a nylon net. Dimensions  $6.10 \text{ m} \times 0.85 \text{ m}$ .

No. 40491

# **Children's Net System**


Like article No. 40491 but with 6 rollers.


No. 40493

# **Children's Net Nylon**

6.10 x 0.85 m







# Bimbi 6,10 m Small Court **Tennis Net**

Its practical connection system makes it quick and easy to assemble. Just slip the net over the two posts. 5 different net tension levels. Supplied with storage bag. Size: 6.10 x 0.85 m

No. 40506

Bimbi Replacementnet 6,10 m No. 40509

Bimbi Replacementnet 3 m No. 40501

# **Bimbi 3 m Small Court Tennis Net**

Its practical connection system makes it quick and easy to assemble. Just slip the net over the two posts. 5 different net tension levels. Supplied with storage bag. Size: 3 x 0.85 m

No. 40500



**Bimbi Small Court Tennis Net, 3 m Street Set** 

Just like the Bimbi 3m Small Court Tennis Net, but with 2 Topspin 60 cm tennis rackets and 6 Bimbi Easy balls.

No. 40512



Bimbi Small Court Tennis Net, 6.10 m School Set Just like the Bimbi 6.10m Small Court Tennis Net but with 4 Topspin 60 cm tennis

rackets and 12 Bimbi Easy balls. **No. 40510** 



# Tennisball Balls Unlimited Stage 1

High-quality woven flex felt. 25% slower and 10% lighter than normal tennisballs. ITF approved.

No. 45080 pack of 12



# Tennisball Balls Unlimited Stage 2

High-quality woven flex felt. 40% slower and 20% lighter than normal tennisballs. ITF approved.

No. 45081 pack of 12



# Tennisball BIMBI Easy Stage 2

High-quality woven flex felt. 40% slower and 20% lighter than normal tennisballs. Applied over years in smallfield-tennis-championships, ITF approved. Weight: approx. 43g. An absolute premium product.

No. 460020 pack of 12



# Tennisball Balls Unlimited Stage 3

High-quality woven flex felt. 6% larger and 20% lighter than normal tennisballs. ITF approved.

No. 45082 pack of 12



#### Foam Ball Stage 3

Soft foam ball especially developed for starting off on the small field and midcourt. Distinctly larger than Stage 1+2 balls, slower bounce and flight behavior.

No. 42096

pack of 12



### Stage 1 Children's Racket

The perfect racket for children aged between 8 and 12 years! For full court, length: 64 cm, weight: 220 g.

No. 45075



### Stage 2 Children's Racket

The perfect racket for children aged between 7 and 11 years! For mid court, length: 60 cm, weight: 200 g. **No. 45073** 



Stage 3 Children's Racket

The perfect racket for children aged between 5 and 8 years. For mini court, length: 54 cm, weight: 180 g

No. 45072



Stage 4 Children's Racket

The perfect racket for children aged between 3 and 5 years. For mini court, length: 48 cm, weight: 170 g.

No. 45071



Stage 5 Children's Racket

The perfect racket for children aged under 3. For mini court, length: 43 cm, weight: 150 g



#### **Youth Stage 2**

Rubber lines for the original Stage 2 court. 2 side lines: 3 cm, 2 base lines 4 cm wide. Color white. Excellent UV resistance. Supplied with fixing nails and assembly instructions. Original length: 17.83 x 6.17 (single) or 8.23 m (double).

No. 45001



# **Youth Stage 3**

Rubber lines for at least 2 original Stage 3 courts. 4 lines, 6.60 m each (can be extended to 11 m) color white. Excellent UV resistance. Supplied with fixing nails and assembly instructions. Includes tennis court lines.

No. 45002



### **Marking Lines for Kid's Tennis**

Marking lines for small court tennis. Made of heavy-duty, nonslip and indestructible PVC. The weight of the line keeps it flat on the ground and it needs no additional fixation. Marking set of 2 rolls, 11 m long, 8 cm width.

No. 45000

white



### **Street marking tapes**

Made of high quality PVC, can be used on any surface. 4 corners and 12 lines.

No. 45006





### Court marking tapes

Made of high quality PVC, can be used on any surface. 8 corners , 12 legs and 8 circles. No. 45007

### Circle marking tape

Made of high quality PVC, can be used on any surface. Set of 10, yellow. **No. 46044** 

#### Line marking tape

Made of high quality PVC, can be used on any surface. Set of 10, yellow. No. 46040

### Corner marking tape

Made of high quality  $\overrightarrow{PVC}$ , can be used on any surface. Set of 10, yellow. **No. 46042** 



### Players Bench Grand Slam Aluminium 150 cm long, white.

The bench is an ideal advertising medium and is used worldwide at international tennis tournaments and in football stadiums. High-quality aluminium construction, white powder-coated. The seating surface consists of 5 multi-chamber profile slats, supplied in four parts, easy assembly. The 10 mm PVC advertising panels are pre-assembled without an advertising logo. Weight 27 kg.

#### No. 41222

**4-color digital printing**. Please provide file for printing.




# Front Advertising Panel 150 cm

Additional advertising panel for the front leg area. 10 mm PVC advertising panel with aluminium mounting bar and fittings as well as a 6 mm drill to pre-drill the holes for the self-tapping screws. Easy handling according to instructions.

#### No 412223

4-color digital printing Please provide file for printing.



### Rear Advertising Panel 150 cm

Additional advertising panels for the rear of the bench. 10 mm PVC advertising panels, pre-drilled, with fittings as well as a 6 mm drill to drill the holes for the self-tapping screws. Easy handling according to instructions.

No. 412224

# 4-color digital printing

Please provide file for printing.

No. 412226



# Umbrella Holder for advertising bench.

Made of white, powder-coated aluminium, with fittings for easy mounting.



#### Advertising Bench Freiburg KU 150 cm

2 all-plastic legs and 5 multi-chamber plastic slats serving as a seat and a KU backrest for easy attachment of advertising stickers. The more economical model is developed especially for indoor use as well as for Central European temperatures.





### Advertising Bench Freiburg GFK 150 cm

2 all-plastic legs and 5 multi-chamber plastic slats serving as a seat and a KU backrest for easy attachment of advertising stickers. This exclusive, high-quality GFK model is very robust and specially developed for extremely hot regions.

No. 41208 white

#### 4-color digital printing

Please provide file for printing.



### **Deluxe Tennis Bench**

Our newly designed tennis court bench has everything you could wish for. Plenty of space (approximately 100 x 45 cm) in the middle for bags and rackets, two comfortable seats, with plastic-, weather- and light-resistant seat pads, 57 cm wide and 50 cm deep. Super robust design. A first class product.

No. 41213 white



# **Bench Hohenzollern**

Elegant, yet extremely robust bench for tennis courts and outdoor use. With armrests, seat width 150 cm, seat depth 50 cm. Solid plastic construction with integrated, stainless steel brackets. Seat and back are supplied preassembled to make setting up easier.

No. 412012 white



Bench Cologne 120 cm long, white

2 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight approx. 13 kg.

No. 412233



# Landhaus planter

Solid plastic construction. Internal capacity 40 x 40 cm split into four side parts, supplied with bottom tray. Footprint 46 x 46 x 46 cm.

No. 412013 white



Bench Cologne 120 cm long, green

2 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight approx. 13 kg.



Bench Munich 150 cm long, white

2 plastic legs and 5 multi-chamber plastic slats, without backrest and therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 9 kg. **No. 412210** white



Bench Munich 150 cm long, green

2 plastic legs and 5 multi-chamber plastic slats, without backrest and therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 9 kg.

No. 412211 green



Bench Freiburg 150 cm long, white

2 plastic legs and 9 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Proven high-quality. Weight 15,5 kg.

No. 41200 white



Bench Freiburg 150 cm long, green

2 plastic legs and 9 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Proven high-quality. Weight 15,5 kg.

No. 41199 green



Bench Helgoland 150 cm long, white

2 plastic legs and 12 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Practical and comfortable to sit on. Weight approx. 19 kg.


No. 41203 white




Bench Helgoland 150 cm long, green

2 plastic legs and 12 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Practical and comfortable to sit on. Weight approx. 19 kg.

No. 41207 gree



**Bench Stuttgart** 200 cm long, white 3 plastic legs and 5 multi-chamber plastic slats, without backrest therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 11,5 kg. **No. 412212** white



**Bench Stuttgart** 200 cm long, green 3 plastic legs and 5 multi-chamber plastic slats, without backrest therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 11,5 kg. **No. 412213** green



**Bench Berlin** 200 cm long, white 3 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight 18,5 kg. **No. 41210** white



Bench Berlin 200 cm long, green
3 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality.
Weight 18,5 kg.
No. 41211 green



**Bench Sindelfingen** 200 cm long, white 3 plastic legs and 12 multi-chamber plastic slats. Practical and comfortable to sit on. Weight approx. 26 kg. **No. 41204** white



Bench Sindelfingen 200 cm long, green 3 plastic legs and 12 multi-chamber plastic slats. Practical and comfortable to sit on. Weight approx. 26 kg.

No. 41212 green



#### Wire Waste Bin 75 I

2 mm strong hot-galvanized frame with 4.8 mm round steel legs. Metal base with holes for water drainage.

Size: 40 cm Ø; height 60cm

No. 41278

#### Wire Waste Bin 63 I

2 mm sturdy, strong hot-galvanized frame. 4.8 mm round steel legs. Size: 40 cm Ø; height 50 cm.

No. 41277

### Wire Waste Bin 18 I

Semi-circular, galvanized with perforated metal base to drain water. Spring hooks for fastening to fence. Size: height 14 cm, width 32 cm, depth 17 cm.

No. 41236



#### Waste Bin 50 I

UV-resistant plastic waste bin. Heavy-duty hot galvanized metal fixture for fastening to poles, railings or walls. Complete with hardware and key.

No. 41233 green

No. 41234 orange



# **Designer Waste Bin**

In the shape of a tennis ball, approx. 50 cm  $\emptyset$ . Made from top-quality special plastic. Completely UV and weather-resistant. Hinges and fastening materials made from stainless steel. Hinged lid. Standard version with 2 quick-release straps for mounting on poles, railings or walls.

Soccer Ball No. 41226 Tennisball yellow No. 41224 Tennisball green No. 41223



### Megaphone TM-10

Built-in microphone, siren switchable, volume control, output power: 10 W max., average sound pressure (1 W/m): 90dB, size: Ø 158 mm, length 244 mm, weight 595 g, power pack: 8 x 1,5 V-(AA)-Mignon-cells (not contained in consignment).



### Megaphone TM 22

Low weight and low power consumption through Piezo-Technology. Built-in microphone, siren and controllable signal sound, volume control, battery-status indication, output power: 20 W max., average sound pressure (1 W/m): 115 dB. Size: Ø 195 mm, length 315 mm, weight 850 g, power pack: 8 x 1,5 V-(AA)-Mignoncells (not contained in consignment).




### Megaphone TM-17

Hand-microphone with spiral cable, speaking locking button and volume control at the microphone, operating breaker for siren, language and whistle, socket for external 12-V-battery-operation, automobile-connection cable, output power: 25 W max., average sound pressure (1 W/m): 110 dB, size: Ø 230 mm, length 340 mm, weight 1,7 kg, power pack: 8 x 1,5 V (C) Baby-battery (not contained in consignment), ext. 12 V=/2A,12-V-connection.

No. 10502

#### Megaphone TM-27

Built-in microphone, siren switchable, volume control, socket for external 12-V-battery operation, automobile-connection, output power: 25 W max., average sound pressure (1 W/m): 115 dB, size:  $\emptyset$  230 mm, length 370 mm, weight 1,7 kg, power pack: 8 x 1,5 V (C) Baby-battery (not contained in consignment), ext. 12 V=/2A,12-V-connection.





**Tennis Court Drying Set** 

Bucket with galvanized grid plate and sponge with aluminium handle. To soak up small puddles on the court.

No. 41182



# **Tennis Court Drying Set**

Bucket with galvanized grid plate and sponge with aluminium handle. To soak up small puddles on the court.

No. 41182



### **Water Roller**

Foam rubber roller with handle. To clear puddles from hard courts, 90 cm wide. All metal parts galvanized.





# **Spray Nozzle**

Large nozzle sprinkles evenly over large areas. Complete with Geka connection and tube.

### No. 41340



### **Pistol Spray Nozzle**

Large nozzle sprinkles evenly over large areas. With a pistol grip. Optimum adjustment of sprinkling with shut-off device.

#### No. 41360




#### Water Hose Special

Quality hose, especially for tennis courts, resistant to low temperatures. Flexible, compression-proof, weatherproof. Available in 50 m lengths.

**No. 41371** 3/4" **No. 41381** 1"





# **Spray Nozzle with Shut-Off Valve**

Large nozzle sprinkles evenly over large areas. Complete with Geka connection and tube. With shut-off valve.

#### No. 41350

### Adjustable Nozzle

Made of light alloy metal with hard PVC steel tube. Metal ball valve lever and spray adjuster. Jet length approx. 15 m. Complete with Geka connection.



#### Water Hose

No. 41401

Especially for tennis courts and sports grounds, green. Available in 50 m lengths.

No. 41370 3/4" No. 41380 1"

Geka	adapters,	brass
No. 413	391	3/4"

# Connectors, brass with Geka

No. 41402 3/4" No. 41404 1"

**Hose clip**, set of 10 pieces For water hose up to 2" **No. 41403** 

# No. 41342

**Gaskets for internal thread** 

Gaskets for Geka set of 10 pieces

set of 10 pieces No. 41405 3/4" No. 41406 1"

# Gaskets for spray nozzle

set of 5 pieces









The high-quality screen, proven and tested thousands of times worldwide

Heavy-duty polyethylene fabric, UV-stabilized, lets wind through. Full border with plastic-lined brass eyes every 50 cm, thus very resistant to tearing.

Wind Screen Super. The Quality Super weighs 160 g/qm is wind pearmable and is available in the colours light- and dark green. It is the most sold wind screen. Only available in  $12 \times 2 \text{ m}$ .

Wind Screen Exclusive. The quality of Wind Screen Exclusive weighs 140 g/qm and is extremely wind pearmable and is excellently suited for printing, available in the colours light and dark green, yellow, white, blue, red and black.

Standard size 12 x 2 m, but also available in length of 50 m and height of 4 m.

**Printing**. The print is rolled on by hand twice with special UV-resistant ink. This ensures good adhesion and a long life. Print is normally done in black, however other colors can be printed on special request. Any company logo as well as standard lettering can be printed. Please contact our graphics department for special designs with your own lettering and logos. You will be sent draft forms free of charge which we will revise and present as final artwork ready for printing. Please contact us for further details.

# Spring Hooks

Galvanized, 60 hooks needed per 2 x 12 screen

Technical changes reserved. Pictures are partially illustrations.



# Indoor Hall Covering

Top and sides with ring eyes, bottom weighted down with sewn-in lead tape.



#### **Perimeter Banners**

Available in special sizes up to 4 meters in height and 50 meters in length in 10 different colors, with ring eyes or border stitching. Printed colors RAL-compliant.



# Wind Screen Light Green

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

No. 415115 Super No. 41511 Exclusiv



### **Windscreen Exclusive Color**

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

No. 41512 blue
No. 41513 white
No. 41514 black
No. 41515 yellow
No. 41516 red



#### **Wind Screen Dark Green**

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

No. 415105 Super No. 41510 Exclusive



# **Windscreen Exclusive with Advertising Printing**

With metal eyelets every 50 cm. Color: light green or dark green Dimensions: 12 m x 2 m.

**No. 415171** printing up to 40%



### Windscreen Exclusive with Advertising Printing

With metal eyelets every 50 cm. Color: light green or dark green Dimensions: 12 m x 2 m.

**No. 415172** printing up to 60%



# **Windscreen Exclusive with Advertising Printing**

With metal eyelets every 50 cm. Color: light green or dark green Dimensions:  $12\ m\ x\ 2\ m$ .

**No. 415173** printing up to 80%



# **Windscreen Advertising Superprinted with Universal Sport**

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

No. 41500 dark green light green



# **Windscreen Advertising Superprinted with Court Royal**

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

No. 41503 dark green No. 41504 light green



Showcase 41920



Showcase 41940



Showcase 41930



Showcase Type 41940 in Stand frame II



Showcase 41933



**Details:**Keeping open system, safety lock, suspension system in stand frame, Stand Frame I

### **Information Board TMD 95**

Suitable for outside and inside use, absolutely weatherproof design. Made of top grade, torsion-free aluminium sections, depth 95 mm. The surface is anodized in matt silver (E6-EV1). State-of-the-art manufacturing processes and advanced processing machines have been combined with technical know-how to provide a solid basis for this quality product.

#### **Basic frame**

Very robust aluminium base frame with inset steel back wall with corrosion-resistant coating.

#### Front frame

Aluminium front frame made of torsion-free multi-chamber aluminium sections with integrated weatherproof rubber seal and shatter-proof acrylic glass pane.

# Front frame fitting

Special interlocking sections across the whole width so that no hinges are required; this provides greater stability.

#### Front frame opening

The front frame opens upwards and is held open by rods which engage automatically. The catch is released by lifting the front frame up again.


#### Safety lock

Safety lock located on the bottom edge with two keys. Simple and troublefree operation.

#### Wall fastening

The information board is fastened to the wall by means of two aluminium section rails; the board is then inserted into the rails and fixed by two screws at the bottom. All fastening elements are accommodated in the frame sections. It is not possible to dismount the information board when it is closed. This protects it very effectively from theft.

Showcase TMD 95					
Measuring Width x height x depth 95 mm Visible surface without lettering strip Incl. Magnets (Ø 30 mm) Weight For outdoor and indoor use. Anodized (E 6 - EV 1) aluminium housing with black magnetic board, safety lock with two keys, wall fixing set.	mm piece kg ArtNo.	700 x 525 640 x 465 10 12 41920	1000 x 850 940 x 790 20 20 41930	850 x 1000 790 x 940 20 20 41933	1350 x 1025 1290 x 960 20 33 41940
Accessories					
Lettering strip, neutral Acrylic glass 4 mm, translucent white, H 120 mm	ArtNo.	47100	47101	47102	47103
Lettering strip, with lettering Version as above, but with choice of text (print letters)	ArtNo.	47110	47111	47112	47113
Pair of stands To set in concrete. For free-standing installation, 2 aluminium square tubes 40 x 40 mm, height 2400 mm	ArtNo.	41947	41947	41947	41947
Stand frame I To set in concrete. Extremely stable frame made from square Alu tube for free-standing installation in front of a display case	ArtNo.	47160	47161	47162	47163
Stand frame II To set in concrete. Version as above, but for free-standing installation of 2 display cases side by side.	ArtNo.	47170	47171	47172	47143
Magnets Ø 30 mm, 10 per set				ArtNo.	41929



#### GEROQUELL DRINKING FOUNTAIN

Always filtered, fresh spring water from the public drinking water supply for your sports club or your company.

- no more empty bottles

- no storage

- no problems with logistics



The GEROQUELL DRINKING FOUNTAIN provides fresh and tasty drinking water at any time, it makes the procurement and storage of bottled water superfluous, effectively protects the environment and it saves costs.

Inside is an activated carbon block filterof high quality, produced by the German manufacturer CARBONIT. This filter with its fine pores and channels is particularly suitable for the filtering of tap water. Reliably it removes possible chemical contamination like chlorine, lead, copper, drug residues, pesticide residues and microorganisms and thus improves the smell and taste of the water sustainably. The effectiveness of the filter is approved by renowned institutes and the (German) TÜV. Dissolved minerals are preserved and the water is perfectly safe to drink. A timely filter replacement should be noted.

The GEROQUELL DRINKING FOUNTAIN is delivered in standard version in white. The delivery scope contains:

high-grade valve, flat perforated waste, water filter ( filter housing and filter cartridge), water meter and lockable inspection door. Condition for the installation is a suitable connection for fresh and waste water.

# Technical properties for the filter CARBONIT IFP PURO:

Water flow\*: max. 7 l/min.

5.000 I = ca. 28 I / per dayCapacity:

Filter change: after 5.000 I flow or at the latest after 6 months

max. 6 bar Operating pressure: Operating temperature: 5° - 40°

\*) Approximate water flow of a new filter element per minute about 4 bar line pressure.

#### **GEROQUELL DRINKING FOUNTAIN**

No. 88000

**Filter Cartridge Spare** No. 88002





# **Court Dimensions**


# Dimensions of large sports fields in accordance with DIN 18035, Part 1

Type of sport		Field size				safety zone		usable sports area	
	in acc. with competition rules		standard size		sides	ends	total size		
	width m	length m	width m	length m	each m	each m	width m	length m	
Field handball Field hockey Soccer Basketball Rugby	55 bis 65 55 45 bis 90 30 bis 40 68,40	99 bis 110 91,40 90 bis 120 75 bis 90 100	60 55 68 35 68,40	90 91,40 105 80 100	1 2 1 1 2	2 4 2 2 12 to 23	62 59 70 37 72,40	94 99,40 109 84 124 to 146	

# Dimensions of small sports fields in accordance with DIN 18035, Part 1


Type of sport	Field size				safety zone		usable sports area	
	in acc. with competition rules		standard size		sides	ends	total size	
	width m	length m	width m	length m	each m	each m	width m	length m
Badminton Basketball Fistball Fistball Small pitch handball Small pitch hockey Small pitch soccer Basketball Bounce ball Quoits Roller-skate hockey Roller skating Tennis	6,10 13 to 15 20 18 to 22 18 to 22 15 to 25 25 8 5,50 15 to 20 20 10,97	13,40 24 to 28 50 38 to 44 38 to 44 30 to 50 60 16 12,20 30 to 40 40 23,77	6,10 14 ') 20 20 20 20 25 8 5,50 20 20 10,97	13,40 26') 50 40 40 40 60 16 12,20 40 40 23,77	1,25 1 6 1 1 1 1 2 3 - - 3,65	1,25 1 8 2 2 2 2 2 4 3 - - 6,40 3	8,60 16 32 22 22 22 27 12 11,50 20 18,27	15,90 28 66 44 44 44 64 24 18,20 40 36,57 24

 $<sup>^{\</sup>circ}$  Measured from the inner edge of the line, further admissible measurements are 15 x 28 m and 13 x 24 m



# Small sports field, 22 x 44 m

divided up for various sports as follows: lengthways: handball, tennis widthways: volleyball (2 x)




# Small sports field, 27 x 45 m

divided up for various sports as follows: lengthways: handball, tennis, long jump widthways: basketball (2 x), volleyball, high jump

# **Court Dimensions**

# **POST- AND NET DIMENSIONS**




### **COURT DIMENSIONS**

# 5.485 5,485 1,37 1,37 4,115 4,115 center mark service line MIN. 2,54 cm MAX. 5.08 cm center service line 5,00 cm marker for singles posts 0,91 8,23 0,915 0.915 10,97 all side lines MIN. 2,54 cm MAX. 5,08 cm

base line MIN. 2,54 cm ▼ MAX. 10,16 cm

# **TOURNAMENT COURT DIMENSIONS**



# **Court Dimensions**

